



Office of the Chief Executive Officer Shri Mata Vaishno Devi Shrine Board, Katra

Request for Inviting Quotation

SMVDSB invites sealed quotations (on the letter head of the firm) from **reputed manufacturers or their authorized distributors / dealers only** for seeking rates **of Misc. Electric Items (MCBs/MCCBs/SPNs, etc.) of different ratings** as per specifications mentioned in **Annexure "A"**. Interested firms may send their sealed quotations along with relevant documents for the supply of the same giving full details in sealed cover viz. Net price (inclusive of GST & other taxes, F.O.R. Engineering Store, Banganga, Katra), payment terms, delivery schedule and other conditions of sale **including special discount to SMVDSB.**

Sealed quotations addressed to undersigned should reach this office through Speed Post / Registered Post / reputed courier or personally handed over to the Receipt & Dispatch Section, Central Office, Katra Section **on or before 31.01.2025 upto 03:00PM positively**. The quotations received shall be opened by the committee in presence of representative of the firm(s) who may choose to remain present on the occasion.

Following particulars must be mentioned on the envelope containing quotation.

Quotation- "Misc. Electric Items (MCBs/ MCCBs/SPN, etc.) of different ratings"

NOT TO BE OPENED BEFORE 31.01.2025 upto 03:00PM

RFIQ No.: CO/Pur/Elect/621-I/4453 dated: 23.01.2025

Terms and Conditions:

1. This is just a RFIQ and not a Purchase Order.
2. Donations to Shri Mata Vaishno Devi Shrine Board, Katra are exempted from Income Tax under Section 80-G of the Income Tax Act.
3. **Rates should be Net inclusive of all taxes**, having special discount to SMVDSB and **F.O.R. Engg. Store, Banganga, Katra** and should remain **valid for a period of 03 Months** from the date of issuance of rate approval order (**Rates excluding GST and Ex-Shop shall not be considered even after opening of the quotation**).
4. **Earnest Security Deposit (EMD):**
 - a. The participating firm shall have to furnish the EMD in the shape of CDR/FDR amounting to **Rs. 35,000/- (Rupees Thirty Five Thousand only)** pledged to FA/CAO, SMVDSB payable at Katra alongwith the offer. The participating firms may also deposit the EMD amount through NEFT/RTGS in the official A/c of Shri Mata Vaishno Devi Shrine Board, Bank Name: The J&K Bank, Account No. Account No. 0235040500001804, IFSC – JAKA0KATTRA ("0" Zero). EMD in the shape of Demand Draft shall not be accepted. **Also, no exemption for non submission of EMD is allowed.**
 - b. It shall be noted that if any bidder did not enclose EMD (in original) of stipulated amount or furnish CDR/FDR of an amount less than the stipulated amount as mentioned, the bid/offer submitted by the firm shall be rejected outrightly and the rates of the said firm shall not be considered even after opening.
 - c. The EMD of the successful bidder shall be retained as Security Deposit which shall be released after all contractual obligations by the supplier are over. The same can be withheld / forfeited, in full, or in part, in case the work order is not executed satisfactorily, within the stipulated time period.
5. Participated firm (s) shall quote the rates as per the "UOM (unit of measurement)", requirement & specification of the Shrine Board.
6. No escalation in the basic rate of item shall be allowed by SMVDSB during currency of Contract. If the rate of GST is increased/ decreased or a new tax is introduced or an existing

tax is abolished or any change in interpretation or application of any tax occurs in the course of performance/evaluation of contract, which was or will be assessed on the bidder in connection with the performance of the contract, an equitable adjustment of the contract price shall be made to fully take into account any such change by addition to the contract price or deduction there from as the case may be.

7. The rates should strictly be quoted **on the LETTER HEAD as per price bid format**, specification / UOM / requirement of SMVDSB. No change shall be made in the Price Bid Format enclosed by the bidder. Any deviation from the same shall tantamount to rejection of the offer / rates quoted by you. The quotation / offer should be filled neatly without any cutting/over writing. In case of any cutting / overwriting, the rates shall not be considered. **{“It is advised that the quotation shall be submitted in a computerized typed format”}**
8. The participating firms are advised to quote the rates as per the specifications mentioned in the RFIQ. **No change of specifications shall be entertained even after opening of quotations.** Any change in the specifications shall outrightly be rejected even after opening of Quotation / issuance of Orders.
9. The successful firm is responsible for supplying genuine / original quality material to SMVDSB. Any deviation from the same leads to the rejection of the supplied material alongwith forfeiting of EMD and debarring from any further dealing with SMVDSB for a period of 03 years.
10. **The participating firms are advised to enclose authorized manufacturer / distributor / dealer certificate alongwith the quotation.**
11. **Before submitting the quotation, the participating firms shall ensure that stock is available with them.**
12. **Delivery:**
 - a. The successful firm shall have to supply the material within stipulated period as mentioned in the Purchase Orders. However, early supply shall highly be appreciated. No extension in delivery period shall be allowed.
 - b. The successful firm is advised not to wait for last day to deliver the material as the same is urgently required for official use in SMVDSB.
 - c. The supplier shall have to mention the GST No. 01AAETS9822J1ZC of (Shri Mata Vaishno Devi Shrine Board) while raising their bill of supplies.
 - d. While filing GSTR-I, the supplier shall classify the supply / service made to SMVDSB under Business to Business (B to B) Sales.
 - e. The firm shall have to mention the HSN Code while raising the bills of supplies.
 - f. The supplier shall file GSTR-I and 3B within due dates prescribed under the CGST/SGST Act 2017 so as to enable SMVDSB to claim timely input credit. In case of default, interest @2% per month of the tax amount shall be charged and recovered from the defaulting supplier.
 - g. The supplier who opted for QRMP scheme must opt for Invoice Furnishing Facility (IFF) to file their details of outward supplied in first two months of the quarter to pass on the credit to the Shrine Board.
13. **Warranty: The firm shall provide Warranty Certificates, as applicable, of the material supplied at the time of delivery.**
14. No Advance payment shall be made. The payment shall be processed after receipt of material, Invoice, requisite documents and preparation of GR at ES, Banganga and thereafter shall be released through Accounts Wing within 20 days.
15. **Inspection / Lifting Back of Rejected Supplies:**
 - a. On receipt, the material shall be inspected / checked by our Inspection Committee and if found of inferior quality/defective/not conforming to specifications, the same will be rejected and the Board shall be at liberty to have the same procured from open market at the risk & cost of the supplier whereby the original supplier shall be liable to pay the extra cost, if any, involved in the process.
 - b. The rejected material shall have to be lifted by the supplier at his own risk and cost within a week's time failing which storage charges @2% per day of the total value of the rejected supply as may be deem fit to the authority shall be levied.
 - c. Beyond one month the material shall be auctioned without any communication and storage charges @2% per day of the total value of the Purchase /Supply Order shall be deducted from any pending payment of the supplier.

16. **Penalty:**

- a. In case the material is not supplied within the stipulated timeframe (as mentioned in the Work Order), the supplier is liable to penalty for the delay i.e. i) upto 07 days @ 0.5% ii) from 8th day upto 15th day @ 1% iii) from 16th day upto 22nd day @ 1.5% and iv) from 23rd day to 30th day @ 2% shall be imposed on each pending item as per the approved rate/quantity mention in the PO of the value of the pending supplies.
- b. In case of incomplete supply, an amount of 2% of the total value of pending supplies shall be deducted from the due payment of the supplier.
- c. In case the material is not supplied beyond the penalty period, the purchase order issued shall be deemed to have been cancelled and relevant penalties shall be imposed including forfeiting of EMD submitted by the firm.

17. **Debarring**

If the successful bidder / supplier / firm fails to comply with the terms and conditions of the RFIQ after successful culmination of the RFIQ and placing of purchase / work order, the firm shall be debarred from further dealing with SMVDSB for a period of 03 years and the EMD/Security Deposit, if any, of the firm shall be forfeited without any communication.

18. **SMVD Shrine Board reserves the right to:**

- a) Cancel the R.F.I.Q. without any notice.
 - b) Reject, accept or prefer any quotation in part or full without assigning any reason whatsoever at any stage.
 - c) Re-invite the quotations at its sole discretion.
 - d) Negotiate the quoted rates, terms and conditions with the lowest Bidder or any of the other Bidders who have participated in the RFIQ to ascertain the suitability of the acceptable offer.
 - e) Split the demand among one or more firms.
19. Standard Terms and Conditions shall also be incorporated in the Rate Approval Order / Purchase Orders to be issued in favour of the successful bidder/firm.
20. Conditional, illegible, ambiguous quotation(s) and quotation(s) received after the stipulated date and time shall be out rightly rejected.
21. **One copy of the RFIQ document duly signed and stamped accepting the terms and conditions shall also be enclosed alongwith the offer.**

Sd/-

(Vipan Bhagat, JKAS),
Asstt. Chief Executive Officer

Seal & Signature of the bidder

PRICE BID
(on the Letter Head of the Firm)

The Asstt. Chief Executive Officer (VB),
Shrine Mata Vaishno Devi Shrine Board,
Katra.

Subject: Quotation for supply of Misc. Electric Items (MCBs/MCCBs/SPNs/Junction Boxes, etc.) of different ratings.

Ref. CO/Pur/Elect/621-I/4453 dated 23.01.2025

I, _____ representative / proprietor of
M/s _____ hereby submit my following rates as per
specification / UOM / requirement of Shrine Board, Net inclusive of GST, freight, loading / unloading
and other taxes / charges F.O.R. Engineering Store, Banganga, Katra:

S.No.	Description of Item	Tentative Quantity in Nos (3 months)	Brand / Make Offered	NET Rate (Inclusive of GST and other taxes) F.O.R. Engg. Store, Banganga, Katra,
1.	MCB Distribution Box 16 Way Double Door IP-43 confirming to IS-8623	6	Havell's, Legrand, ABB, L&T, Indoasian, Schneider	Each
2.	MCB Distribution Box 12 Way Double Door IP-43 confirming to IS-8623	50	Havell's, Legrand, ABB, L&T, Indoasian, Schneider	Each
3.	MCB Distribution Box 8 Way Double Door IP-43 confirming to IS-8623	50	Havell's, Legrand, ABB, L&T, Indoasian, Schneider	Each
4.	MCB Distribution Box 4 Way Double Door IP-43 confirming to IS-8623	25	Havell's, Legrand, ABB, L&T, Indoasian, Schneider	Each
5.	MCB Distribution Box 2 Way IP-43 confirming to IS-8623,	20	Havell's, Legrand, ABB, L&T, Indoasian, Schneider	Each
6.	TPN MCB, Distribution Box 4 Way (4+12) Double Door confirming to IS-8623 IS/IEC 60898-1, Ambient Operating Temp: -5° C to +60°	10	Havell's, Legrand, ABB, L&T, Indoasian, Schneider	Each
7.	TPN MCB, Distribution Box 6 Way (4+18) Double Door confirming to IS-8623 IS/IEC 60898-1 Ambient Operating Temp: -5° C to +60°	10	Havell's, Legrand, ABB, L&T, Indoasian, Schneider	Each

8.	TPN MCB, Distribution Box 8 Way (4+24) Double Door, confirming to IS-8623 IS/IEC 60898-1 Ambient Operating Temp: -5° C to +60°	12	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
9.	TPN MCB, Distribution Box 12 Way (4+36) Double Door, confirming to IS-8623 IS/IEC 60898-1 Ambient Operating Temp: -5° C to +60°	5	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
10.	MCB 6-32 Amp (C-curve) Conforms to IS:8828-96, IEC60898, Breaking capacity :10kA Ambient Operating Temp: -5° C to +60°	1200 (<u>6A-250</u> <u>10A-200</u> <u>16A-300</u> <u>25A-200</u> <u>32A-250</u>)	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
11.	SPN 32 Amp (C-curve) Breaking Capacity: 10kA IEC 60947-(Updated as on date) Operating Voltage: 240V/415AC, 60 V-DC Per Pole, Ambient Operating Temp: -5° C to +60°	200	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
12.	SPN 40 Amp (C-curve) Breaking Capacity : 10kA IEC 60947-(Updated as on date) Operating Voltage: 240V/415AC, 60V-DC Per Pole Ambient Operating Temp: -5° C to +60°	200	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
13.	SPN 63 Amp (C-curve) Breaking Capacity: 16kA IEC 60947-(Updated as on date) Operating Voltage: 240V/415AC, 60 V-DC Per Pole Ambient Operating Temp: -5° C to +60°	150	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
14.	Isolator 40 Amp(C-curve) IEC 60947-(Updated as on date) Operating Voltage: 240V/415AC, 60 V-DC Per Pole Ambient Operating Temp: -5° C to +60°	150	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each

15.	Isolator 63 Amp(C-curve) IEC 60947-(Updated as on date) Operating Voltage: 240V/415AC, 60 V-DC Per Pole Ambient Operating Temp: -5° C to +60°	150	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
16.	TPN 63 Amp(C-curve) IEC 60947-(Updated as on date) Operating Voltage: 240V/415AC, 60 V-DC Per Pole Ambient Operating Temp: -5° C to +60°	12	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
17.	TPN 32 Amp(C-curve) IEC 60947-(Updated as on date) Operating Voltage: 240V/415AC, 60 V-DC Per Pole Ambient Operating Temp: -5° C to +60°	12	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
18.	ICTP 63 Amp	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
19.	ICTP 100 Amp	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
20.	ICTP 200 Amp	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
21.	MCCB 63 Amp, 16 KA four Pole. Confirms to IEC-60947(update as on date), Operating Voltage: 240V/415AC, 60 V-DC Per Pole, Breaking Capacity: 16kA Ics=100% Icu, with company made Spreaders	8	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
22.	MCCB 200 Amp, 25 KA four Pole. Confirms to IEC-60947(update as on date), Operating Voltage: 240V / 415AC, 60 V-DC Per Pole, Breaking Capacity: 16kA with company made Spreaders	8	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
23.	MCCB 100 Amp, 16 KA four Pole. Confirms to IEC-60947(update as on date), Operating Voltage: 240V / 415AC, 60 V-DC Per Pole, Breaking Capacity: 16kA Ics=100% Icu,with company made Spreaders	12	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each

24.	MCCB 400 Amp, 50 KA four Pole. Confirms to IEC-60947(update as on date), Operating Voltage: 240V / 415AC, 60 V-DC Per Pole, Breaking Capacity: 16kA Ics=100% Icu,with company made Spreaders.	4	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
25.	MCCB 63 Amp, 10 KA three Pole. Confirms to IEC-60947(update as on date), Operating Voltage: 240V / 415AC, 60 V-DC Per Pole, Breaking Capacity: 16kA Ics=100% Icu, with company made Spreaders	6	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
26.	MCCB 200 Amp, 25 KA three Pole. Confirms to IEC-60947(update as on date), Operating Voltage: 240V / 415AC, 60 V-DC Per Pole, Breaking Capacity: 16kA Ics=100% Icu,with company made Spreaders	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
27.	MCCB 100 Amp, 16 KA three Pole. Confirms to IEC-60947(update as on date), Operating Voltage: 240V / 415AC, 60 V-DC Per Pole, Breaking Capacity: 16kA: Ics=100% Icu,with company made Spreaders	8	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
28.	MCCB 400 Amp, 50 KA three Pole. Confirms to IEC-60947(update as on date), Operating Voltage: 240V / 415AC, 60 V-DC Per Pole, Breaking Capacity: 16kA Ics=100% Icu, with company made Spreaders	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
29.	MCCB 630 Amp 50KA three Pole. Confirms to IEC-60947(update as on date), Operating Voltage: 240V / 415AC, 60V-DC Per Pole, Breaking Capacity: 10kA Ics = 100% Icu, with company made Spreaders	2	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each

30.	MCCB 630 Amp 50KA four Pole. Confirms to IEC-60947(update as on date), Operating Voltage: 240V / 415AC, 60 V-DC Per Pole, Breaking Capacity: 16kA Ics=100% Icu ,with company made Spreaders	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
31.	Change Over Switch 63 Amp three Phase side handle, Confirms to IS: 13947 Part - 1 &3, IEC: 60947 Part - 1 &3. CRCA Sheet, Nine Tank Epoxy Powder Coated Enclosure	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
32.	Change Over Switch 100 Amp three Phase side handle. Confirms to IS:13947 Part- 1&3, IEC: 60947 Part - 1&3. CRCA Sheet, Nine Tank Epoxy Powder Coated Enclosure	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
33.	Change Over Switch 200 Amp three Phase side handle. Confirms to IS: 13947 Part - 1 &3, IEC: 60947 Part - 1 &3. CRCA Sheet, Nine Tank Epoxy Powder Coated Enclosure	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
34.	Change Over Switch 63 Amp three Phase Box Type Confirms to IS: 13947 Part - 1 &3, IEC: 60947 Part - 1 &3. CRCA Sheet, Nine Tank Epoxy Powder Coated Enclosure	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
35.	Change Over Switch 100 Amp three Phase Box Type Confirms to IS: 13947 Part - 1 &3, IEC: 60947 Part - 1 &3. CRCA Sheet, Nine Tank Epoxy Powder Coated Enclosure	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each
36.	Change Over Switch 200 Amp three Phase Box Type Confirms to IS: 13947 Part - 1 &3, IEC: 60947 Part - 1 &3. CRCA Sheet, Nine Tank Epoxy Powder Coated Enclosure	3	Havell's, Legrand, ABB, L&T, Indoasian, Schneider		Each

37.	PVC Conduit Pipe 1" 2mm Thick	3000	Hi-power, National Gold, Polyplast, AKG, BEC, Precision & Plaza.		Each
38.	PVC Conduit Pipe ¾" 2mm Thick	600	Hi-power, National Gold, Polyplast, AKG, BEC, Precision & Plaza.		Each
39.	PVC Conduit Pipe 1½" 2mm Thick	300	Hi-power, National Gold, Polyplast, AKG, BEC, Precision & Plaza.		Each
40.	PVC Conduit Bend 1" 2mm Thick	1500	Hi-power, National Gold, Polyplast, AKG, BEC, Precision & Plaza.		Each
41.	PVC Conduit Bend 1 ½" 2mm Thick	200	Hi-power, National Gold, Polyplast, AKG, BEC, Precision & Plaza.		Each
42.	PVC Conduit Bend ¾" 2mm Thick	300	Hi-power, National Gold, Polyplast, AKG, BEC, Precision & Plaza.		Each
43.	PVC Batten 1"	150	ISI		Each
44.	PVC Batten 2"	150	ISI		Each
45.	Flexible Pipe 1"	150	ISI		Each
46.	Flexible Pipe 2"	150	ISI		Each
47.	Iron Junction Box 1" Deep 3/4 Way Heavy Duty	1000	Gupta/Parkash		Each
48.	Iron Fan Box 4" Deep Heavy Duty	250	Gupta/Parkash		Each
49.	Iron Concealed Box 3" Deep Heavy Duty	250	Gupta/Parkash		Each
50.	Capacitor 36 Mfd	13	Havell's, Bajaj, Tibcon, Epcos		Each
51.	Capacitor 45 Mfd	10	Havell's, Bajaj, Tibcon, Epcos		Each
52.	Capacitor 50 Mfd	10	Havell's, Bajaj, Tibcon, Epcos		Each
53.	Capacitor 3.15 Mfd	600	Havell's, Bajaj, Tibcon, Epcos		Each

Notwithstanding anything mentioned in our price bid, we hereby accept all the terms & conditions mentioned in the RFIQ which are being signed in token of my acceptance. We hereby undertake and confirm that I / we have understood the specifications properly and shall supply the material as per the required / higher specifications to SMVDSB.

I further affirm that in case, I fail to abide-by the conditions or upto the entire satisfaction of the Shrine Board; I shall be liable to the penalties under rules. I further hereby declare that my firm is not blacklisted.

Seal & Signature _____
M/s _____
Contact Person: _____
Contact Number: _____
E-mail ID: _____

- **Please read all the contents of the RFIQ before the submission of the quotation.**

