



**OFFICE OF THE CHIEF EXECUTIVE OFFICER,
SHRI MATA VAISHNO DEVI SHRINE BOARD,**
Central Office, Jammu Road, Katra (J&K) – 182301
Fax: +91- 1991-232120

E-mail: nes_purchase@maavaishnodevi.net, aceog@maavaishnodevi.net

Notice Inviting e-Tender

e-NIT No. CO/Pur/NE/612/3705, Dated: 25.07.2024

e-Tenders on the prescribed format are invited on behalf of Shri Mata Vaishno Devi Shrine Board through its Chief Executive Officer from the reputed suppliers / manufacturers for **finalization of Rate Contract** for the Supply, Installation, Testing, Commissioning and post-warranty Comprehensive Annual Maintenance Contract for a period of 05 years of Machinery and Equipment required for establishment of Anatomy, Physiology, Community Medicine, Biochemistry, Pharmacology, Forensic Medicine & Toxicology, Microbiology Departments of Medical College, Kakryal

S. No	Particulars	EMD (in Rs.)	Tender Fee (in Rs.)
1.	Supply, Installation, Testing, Commissioning and post-warranty Comprehensive Annual Maintenance for the period of 05 years of Machinery and Equipment required for establishment of Anatomy, Physiology, Community Medicine, Biochemistry, Pharmacology, Forensic Medicine & Toxicology, Microbiology Departments of Medical College, Kakryal. (Group D – High End Medical Equipments)	3.30 Lakh	1,500/-

The e-NIT consisting of Qualifying Information, Eligibility Criteria, Specifications, indicative Bill of Quantities, (B.O.Q), set of Terms & Conditions of Contract and other details can be seen / downloaded from the websites:- <http://jktenders.gov.in> & www.maavaishnodevi.org as per following:

Publishing Date	25.07.2024 at 4:30 PM
Download Start Date	25.07.2024 at 4:45 PM
Pre-Bid Conference	02.08.2024 at 12:00 Noon
Bid Submission Start Date	03.08.2024 at 12:00 Noon
Bid submission End Date (Online)	14.08.2024 at 02:00 PM
Submission of Hard Copy (end) date and time	14.08.2024 upto 04:00 PM
Date of Opening of Technical Bid (Online)	16.08.2024 at 04:00 PM (In Office of the Asstt. Chief Executive Officer (G), SMVDSB, Katra)

The tender must accompany an earnest money in the form of CDR / FDR / TDR of the amount mentioned above drawn from any Nationalized / scheduled Bank duly pledged to the Accounts Officer, Shri Mata Vaishno Devi Charitable Society, Katra and Tender Fee of Rs. 1,500/- (One Thousand Five Hundred only) either in the form of DD pledged to Accounts Officer, SMVDCS, Katra or can be deposited in the official account of Shri Mata Vaishno Devi Charitable Society Branch J&K Bank Katra, Account No. **50100417566279, IFSC – HDFC0002344**. The bidder shall mention UTR No. in the prescribed Technical Bid Form at **Annexure-‘A’**. Complete bidding process will be done online on e-Tender portal www.jktenders.gov.in. However, the bid document shall be available on official website of SMVDSB (www.maavaishnodevi.org) for reference only. The tenders be submitted strictly in accordance with the provisions of the detailed e-NIT. **The bidder shall submit the hardcopies of the uploaded documents in the Tender Box kept at Central Office, SMVDSB, Katra by or before 14.08.2024 upto 04:00 PM.**

**Sd/-
(Dr. Gopal K Sharma)
Asstt. Chief Executive Officer**

Instruction to Bidders regarding e-Tendering process:

1. The interested bidder can download the e-NIT / bidding document from the website www.jktenders.gov.in & www.maavaishnodevi.org.
2. To participate in bidding process, bidders have to get (DSC) "Digital Signature Certificate" as per information Technology Act-2000, to participate in online bidding. This certificate will be required for digitally signing the bid. Bidders can get above mentioned digital certificate from any approved vendors.
3. The Bidders, who already possess valid (DSC) Digital Signature Certificates, need not to procure new Digital Signature Certificate.
4. The bidders have to submit their bids online in electronic format with Digital Signature. The bids cannot be uploaded without Digital Signature. No Proposal will be accepted in physical form.
5. Bids will be opened online as per time schedule mentioned in the e-NIT.
6. Before submission of online bids, bidders must ensure that scanned copies of all the necessary documents have been attached with bid.
7. The SMVDSB will not be responsible for delay in online submission of bids whatsoever reasons may be.
8. All the required information for bid must be filled and submitted online.
9. Bidders must attach scanned copies of all documents & EMD as specified in the tender documents.
10. The details of cost of documents, EMD specified in the tender documents should be the same, as submitted online (scanned copies) otherwise bid will not be accepted.
11. Bidders are advised to use "My Documents" area in their user on <http://jktenders.gov.in>, e-tendering portal to store important documents like Balance sheet, GST Registration Certificate, Tax Clearance Certificate, IT certificate, and other related documents etc., and attach these certificates as Non-Statutory documents while submitting their bids.
12. Bidders are advised not to make any change in BOQ (Bill of Quantities) contents or its name. In no case they should attempt to create similar BOQ manually. The BOQ downloaded should be used for filling the item rate as prescribed and it should be saved with the same as it contains.
13. Bidders are advised to scan their documents at 100 DPI (Dots per Inch) resolutions with Black and White, PDF \ Scan properly.
14. The guidelines for submission of bid online can be downloaded from the website <http://www.jktenders.gov.in> & www.maavaishnodevi.org
15. The Tenderer(s) should carefully study the document and prepare his tender with consideration of all provisions of the document. He should fully acquaint himself / herself with site conditions and all other factors which may influence preparation of his tender.

Sd/-
(Dr. Gopal K Sharma)
Asstt. Chief Executive Officer

No: - CO/Pur/NE/612/3705

Dated: 25.07.2024

Copy to the:

1. Chief Executive Officer, SMVDSB, Katra.
2. Addl. Chief Executive Officer, SMVDSB, Katra.
3. Accounts Officer, SMVDCS, Katra.
4. Dy. Manager (IT), SMVDSB, Katra with the request to generate link for pre-bid conference to be held on 02.08.2024.
5. Concerned file / Master file.



**OFFICE OF THE CHIEF EXECUTIVE OFFICER,
SHRI MATA VAISHNO DEVI SHRINE BOARD,**

Central Office, Jammu Road, Katra (J&K) – 182301

Fax: +91- 1991-232120 Tel.: +91-1991-232189

E-mail: nes_purchase@maavaishnodevi.net, ddm@maavaishnodevi.net

Notice Inviting e-Tender

e-NIT No. CO/Pur/NE/612/3705, Dated: 25.07.2024

SUBJECT: Notice inviting E-Tender on the prescribed format duly affixed with Revenue Stamp worth Rupees Six only are invited on behalf of Shri Mata Vaishno Devi Shrine Board through its Chief Executive Officer are invited the reputed suppliers / manufacturers for finalization of Rate Contract for the Supply, Installation, Testing, Commissioning and post-warranty Comprehensive Annual Maintenance for the period of 05 years of Machinery and Equipment required for establishment of Anatomy, Physiology, Community Medicine, Biochemistry, Pharmacology, Forensic Medicine & Toxicology, Microbiology Departments of Medical College, Kakryal:

1. REQUIREMENT:

For and on behalf of SMVDSB, through its CEO, SMVDSB, e-Tender affixed with e-Stamp under Two Bids System are invited from the reputed suppliers / manufacturers for finalization of Rate Contract for the Supply, Installation, Testing, Commissioning and post-warranty Comprehensive Annual Maintenance for the period of 05 years of Machinery and Equipment required for establishment of Anatomy, Physiology, Community Medicine, Biochemistry, Pharmacology, Forensic Medicine & Toxicology, Microbiology Departments of Medical College, Kakryal. The detailed Tender Document with full description and Terms and Conditions is available at www.jktenders.gov.in & www.maavaishnodevi.org

2. TENDER SCHEDULE:

Publishing Date	25.07.2024 at 4:30 PM
Download Start Date	25.07.2024 at 4:45 PM
Pre-Bid Conference	02.08.2024 at 12:00 Noon
Bid Submission Start Date	03.08.2024 at 12:00 Noon
Bid submission End Date (Online)	14.08.2024 at 02:00 PM
Submission of Hard Copy (end) date and time	14.08.2024 upto 04:00 PM
Date of Opening of Technical Bid (Online)	16.08.2024 at 04:00 PM (In Office of the Asstt. Chief Executive Officer (G), SMVDSB, Katra)

3. ELIGIBILITY CRITERIA:

- a) All the demanded equipment should have United States Food and Drug Administration (USFDA) / European CE certification Notified Body/CE and ISO 9001:2015, ISO 13485:2016, ISO 8655-1:2022, ISO 7153-1: 2016, ISO 14001:2015, ISO 14937:2009, ISO 45001:2018, ISO 50001:2018, WHO-GMP, IEC 61010-1:2010, Production Capacity certificate) besides others mentioned in the specifications.
- b) The bidder must have an experience of minimum 03 years for the supply of medical machines / equipments to Government Medical Colleges, Government Universities/ Institutes of National Importance as on 31 March, 2024.
- c) Average Annual turnover of the bidder should be more than **Rs. 1.32 Crore** for the last three financial years (**2021-22, 2022-23 & 2023-24**) as per the

annual audited balance sheet and profit & loss account of the relevant period duly authenticated by a Chartered Accountant (The turnover of the sister concern firms / subsidiaries shall not be considered by Shrine Board).

- d) The bidder must have sound financial background and a certificate from Chartered Accountant for positive Net Worth be submitted for the last three financial years **(2021-22, 2022-23 & 2023-24)**. Further, in case the final accounts i.e. Profit & Loss, Balance Sheet for FY- 2023-24 is under audit process, the bidder may attach the P&L, Balance Sheet for F. Y. 2020-21.
- e) The bidder should be an Income Tax Payee.
- f) The bidder must be an authorized distributor / dealer / supplier of the medical machines / equipments.
- g) The Authorized signatory of bidder must attach / upload an affidavit on stamp paper duly attested by 1st Class Magistrate to the effect that:
 - i. The documents catalogue etc. enclosed with the e-tender are genuine and have not been tampered or fabricated.
 - ii. The firm has not been blacklisted in the past by any Govt/ Private institution of the country.
 - iii. If anything found wrong at any stage, I will be personally responsible for the same.
- h) The bidder must attach / upload the copies of following with bid document:
 - i) Pan card
 - ii) GST registration certificate.
 - iii) Income Tax Return, Balance Sheet, Profit & Loss Account for the last three years.
 - iv) **Declaration Certificate:** Declaration Certificate that no case is pending with the police / court against the bidder / firm / company /Agency and not been suspended / blacklisted by any PSU / Government Department / Financial Institution / Court etc **(as per annexure C)**.
 - v) **No Deviation Certificate:** - No Deviation Certificate (as per **Annexure – D**).
 - vi) Undertaking **(as per Annexure-E)**.
 - vii) Authorization Certificate from Principal Manufacturer, if applicable **(as per Annexure-F)**.
 - viii) Assurance Certificate from Principal Manufacturer, if applicable **(as per Annexure-G)**

4. **PROCEDURE FOR SUBMISSION OF TENDER:**

Bidders are invited to submit Bids for “**e-Notice Inviting Tender (e-NIT) for the procurement of Machinery and Equipment (High End) required for establishment of Anatomy, Physiology, Pathology, Community Medicine, Biochemistry, Forensic Medicine & Toxicology, Microbiology Departments of Medical College, Kakryal**” in two parts viz. Technical Bid (**Annexure-‘A’**) and Financial Bid (**refers to BoQ Online only**) as per enclosed proforma along with supporting documents, application fee, EMD etc. The Tenderers are required to submit their tenders under 2 bids system with Cover-I (Technical Bid) and Cover-II (Price Bid).

A. Cover-I (Technical Bid)

(This cover shall contain): -

- (i) **Annexure-‘A’** form duly filled in along with relevant documentary proofs.
- (ii) Scanned copies of EMD in the shape of CDR / FDR pledged to Accounts Officer, SMVDCS. However, EMD in original shall be submitted along-with the technical bid document.

- (iii) Tender Fee of **Rs. 1,500/-** either in the form of DD pledged to the Accounts Officer, SMVDCS, Katra or to be deposited in the official account of Shri Mata Vaishno Devi Charitable Society, Branch J&K Bank Katra, Account No. **50100417566279, IFSC – HDFC0002344(in IFSC Code “0” stands for Zero)**. The bidder shall mention UTR No. in the prescribed Technical Bid Form at **Annexure- ‘A’**
- (iv) Tender Document containing Instructions, **Terms and Conditions duly signed** on each leaf by the Tenderer, along with documentary proof wherever required.

B. Cover II (Price Bids):

- (i) The bidder shall quote price separately for the Supply, Installation, Testing and Commissioning of machinery / equipments and Comprehensive Annual Maintenance for a period of 05 years after the expiry of Warranty / DLP period. The prices have to be submitted **online** in the form of BOQ only.
- (ii) The bidding firm shall have to quote all-inclusive rates F.O.R. site (including taxes, freight, transportation, loading / unloading, etc. i.e. without any exclusions). A single cumulative price (including SITC & CAMC for 5 years) shall serve as the competition platform for the technically qualified bidders.
- (iii) The price bid should be absolute and unconditional.
- (iv) Conditional bids shall be rejected.
- (v) The price bid shall be opened in favour of bidders who qualify in the technical bid. Rates are required to be quoted strictly as per prescribed BOQ/item of works.
- (vi) Price bids not conforming to above standards or suffering from any flaw shall be rejected

5. SELECTION CRITERIA:

- i. In the first stage of evaluation, offer shall be rejected, if found deficient as per the requirements of Tender / Bid Processing Fee and other eligibility criteria. Only bids confirming the e-NIT conditions shall be further taken up for evaluation. Evaluation of the technical Bid will start first. The bidder qualifying the technical bid shall only be admitted in process of financial bid evaluation.
- ii. Financial bids of the technically qualified bidders shall be opened and the bidder offering lowest rates cumulatively for the cost of SITC of machinery / equipments and cost of CAMC for the period of 05 years shall be emerged as L-1 bidder and can be considered for the allotment of the contract. In-case of the tie in rates, revised sealed bid can be obtained on the spot and the bidder offering lowest rates shall be considered for the allotment of the contract. In-case of tie in the second instance as well, it shall be decided by the process of “draw of lots”.
- iii. The Shrine Board reserve the right to negotiate the quoted rates, terms & conditions with the lowest tenderer or any of the other tenderers on quality basis to ascertain the suitability of the acceptance offer.

6. PRE-BID CONFERENCE:

- 7. A pre-bid conference will be held on **02.08.2024 at 12:00 Noon** at Conference Hall, SGC, Katra. The prospective bidders are requested to preferably send their queries at-least 02 days in advance before scheduled pre-bid meeting on e-mail ID nes_purchase@maavaishnodevi.net. Further, in case, any of the prospective bidder(s) intends to join the pre-bid conference through online mode, they shall forward their request on the official e-mail ID nes_purchase@maavaishnodevi.net by or before 31.07.2024. **Shrine Board reserves the right to modify the terms & conditions of e-NIT after the pre-bid conference in view of any practical modalities which may emerge during the pre-bid meeting.**

8. GENERAL TERMS & CONDITIONS:

- i. The list of medical machines / equipments alongwith detailed specifications

(Annexure-B).

- ii. The quantity of the material is indicative in nature and can be increased or decreased during the period of Contract.
- iii. The Technical Bid should be accompanied by a copy of e-NIT with each page duly signed by the authorized signatory of the bidder(s), who has signed the tender document, as a token of acceptance of the terms and conditions of the e-NIT otherwise, bid(s) shall not be considered.
- iv. The validity of the bid shall remain valid for 90 days from the last date of submission of bid document.
- v. For imported goods, prices shall be quoted in any freely convertible currency say Dollar, Euro, GBP or Yen. As regard price(s) for allied services, if any required with the goods, the same shall be quoted in Indian Rupees only if such services are to be performed/undertaken in India. Commission for Agent, if any and if payable shall be indicated in the space provided in the price schedule. The prices for comparison (only) shall be taken as the prevailing rates on the day of opening of tenders.
- vi. The documents, asked in original should be page marked and bearing signature with seal on each and every page.
- vii. The tenderer supplying indigenous goods or already imported goods shall quote in Indian Currency only.
- viii. Tender where prices are quoted in any other way shall be treated as non-responsive and rejected. It will be mandatory on part of the tenderer to ensure that the rates quoted are not variable as are quoted in other Govt. Institutes of J&K State at least during the current financial year. If at any stage it is found that the supplier has executed the supplies or has quoted the rates lower than the approved ones, the differential amount shall be recouped from the supplier and further orders shall be placed on lower rates only.
- ix. The rates quoted should be F.O.R. Katra and inclusive of all taxes, duties, other charges like packing, transportation n etc. Including entry tax, if any. No separate Tax/Levies shall be allowed. The rates should be quoted in accordance with the BOQ through online mode only.
- x. No conditional tender shall be accepted. The authority reserves right to accept or reject any tender/ quotation without assigning any reasons thereof.
- xi. The approved firm shall be bound to deliver ordered Machinery and Equipment within 8 weeks or a period mutually agreed up by the authorities.
- xii. The successful tenderer shall be responsible for execution of the supplies strictly in accordance with the contract in full and shall not in any case assign or sublet any part thereof. Deviation, if any can lead to forfeiture of Earnest money with holding of other deposits in Accounts Section as a whole or even black listing of the suppliers/ firms/ dealers/original manufacture.
- xiii. If in case the tenderer fails to supply the material within the delivery period, the order will be liable to be treated cancelled and earnest money shall be forfeited.
- xiv. Rates should be quoted for the superior quality material only with Nomenclature/ catalogue duly marked with seal & signature of the firms.
- xv. In case any Tenderer, if charges higher rates for any item(s) more than the MRP, the action like forfeitures of earnest money/security money/ performance bank guarantee and removal of name from the list of the supplier shall be taken against the firm.
- xvi. The Successful tenderer is bound to supply the material on the approved rates. Any hike in tax on later stage will not be paid if not levied by the J&K Govt. However, in the event of any revision in the existing rates of duties or introduction of any statutory duty and taxes imposed by the Government, the same will be paid extra on production of satisfactory documentary proof.
- xvii. The successful bidder shall carefully examine the conditions, specifications, size and Catalogue/drawings etc. of the goods to be supplied wherever applicable. In case of any doubts, the successful bidder shall before sign the contract refers to the competent authority and get clarifications.
- xviii. If at any stage during the tenure of the tender the successful tenderer reduces

- the sales price lower than the quoted rates under agreement will forthwith notify such reductions of the sale price to the competent authority immediately.
- xix. All terms and conditions of tender shall conform part of the supply order/agreement.
 - xx. Each machine / equipment quoted shall be under warranty of five years from the date of installation and its successful commissioning at required site. The details of Comprehensive Maintenance Contract for the period of 05 years **(including spares)** after the warranty period shall also be mentioned. Any condition mentioned against each item in the list of items in tender document shall also be the part of the terms & conditions.
 - xxi. The successful tenderer should ensure immediate supplies after issuance of Supply order and they are bound to supply material strictly as per the conditions approved by the Authority. If at any stage it is found that material supplied by the firms is not according to, as approved by the Authority, the action as deemed fit will be taken against the firm.
 - xxii. The competent authority shall also have right to alter/ modify the specifications of any item(s) for purchasing in the best interest of the SMVDSB during the process of finalization of a contract viz. Placement of supply order.
 - xxiii. All the items supplied shall be of the best quality, specification, trade mark and in accordance with the approved standard, catalogue, samples if provided. In case of any articles supplied not being approved, shall be liable to be rejected or replaced and any expenses as a result of rejection or replacement of supplies, shall be entirely at the cost of tenderer.
 - xxiv. The tenderer shall be responsible for the proper packing, so as to avoid damage under normal conditions of transport by rail, road or air and delivery of material in good condition to the consignee at the destination. In the event of any loss, damage, breakage, leakage or any shortage, the tenderer shall be liable to make good such loss and shortage found at the checking/ inspection/ verification of the materials by the consignee, no extra cost on such account shall be admissible.
 - xxv. The supplies shall be accepted only in proper packing where-ever required.
 - xxvi. **Performance Bank Guarantee:** The Successful bidder shall furnish Performance Bank Guarantee (PBG) pledged to Accounts Officer, SMVD Charitable Society, Katra for an amount equals to 5% of the Contract Value as Security Deposit within a period of 20 days from the issuance of Letter of Award and the same shall be released after successfully completion of Comprehensive Annual Maintenance Contract of 05 years. The EMD of the Successful bidder shall be returned within 15 days of submission of Security Deposit.
 - xxvii. **Down Time:** The engineer for servicing of the equipment shall be deputed within 48 hours of report from the concerned authorities and for any spare part required, same shall be arranged by the successful bidder at its own cost.
 - xxviii. The equipment to be supplied shall have to be guaranteed for **95% uptime** by the tenderer during the warranty period. The period during which the equipment remains non-functional or unserviceable for want of engineer or non-availability of spare parts shall not be counted towards the guarantee period and has to be extended accordingly by that period. (1 day down = 1day extended) besides the competent authority shall be at liberty to impose suitable penalty upto Rs.4,000/- per day.
 - xxix. The original manufacturer shall undertake that they will also remain responsible for after sale services for the supplies executed by the tenderer on their behalf.
 - xxx. No advance payment shall be authorized unless required under specific terms & conditions. For the purpose of payment, the supply shall mean full supply of the ordered material and no requests for on-account payment shall be entertained.
 - xxxi. Any other condition that is not indicated here can be incorporated in the supply order or agreement before execution of a contract if need arises.
 - xxxii. Any changes/corrigendum/extension of closing / opening dates in respect of

this e-NIT shall be issued **through SMVDSB's website, or e-publishing portal only and no press notification will be issued in this regard. The bidder(s) are therefore requested to regularly visit SMVDSB's website and e-publishing portal for updates.**

- xxxiii. In case of rejection of the bid(s) due to incomplete information or not meeting the terms & conditions mentioned in e-NIT, the competent authority's decision will be final and the bidder shall not be entitled to any compensation for non-issue of work.
- xxxiv. In case of any document attached found forged/tampered, the bidder (s) is likely to face legal action against them under rules including forfeiture of their earnest money and debarred to participate in the tendering process of SMVDSB for the period of 03 years.
- xxxv. After the successful culmination of tender, if the successful bidder(s) refuses to comply with the rate approval order and subsequently failed to comply the supply orders on account of any reason, the same bidder(s) shall be debarred from further dealing with the Board for a period of 03 years and forfeiture of Performance Security.
- xxxvi. SMVDSB reserves the right to allot the Contract to one or more firms on the same rates / terms and conditions after the successful culmination of e-NIT.
- xxxvii. SMVDSB reserves the right to seek clarifications or additional information/documents from any bidder regarding its technical bid. Such clarification(s) or additional information/document(s) shall be provided within the time specified for the purpose. Any request / response thereafter shall not be considered and the proposal shall be liable to be rejected.
- xxxviii. SMVDSB reserves the right to negotiate the rates offered, terms and conditions with the lowest bidder or any of the bidder on quality basis to ascertain the suitability of the acceptable offer.
- xxxix. It is clearly understood by the parties that no financial liability of any type is created by issuance of the letter of Award.
 - xl. SMVDSB reserves the right to modify/change/delete/add any further terms and conditions prior to the issue of work order.

9. **TERMS OF CONTRACT**

- a) **Period of Contract:** The rates contract shall remain valid for a period of one year from the date of its issuance and can be further mutually extended for a period of 90 more days.
- b) **Contract Agreement:** The successful bidder shall be bound to execute an agreement on non- judicial stamp paper of Rs. 500/- (Five hundred only). The SMVDSB reserves the right to amend the terms & conditions of contract by mutual discussions and shall be in writing. The amended terms and condition will form part of the agreement.
- c) **Sub-Contracting:** The successful bidder shall not assign, sub-contract or sub-let the whole or any part of the contract in any manner.
- d) SMVDSB also reserves the right to modify the Terms and Conditions of the e-NIT at any time.
- e) **Delivery Period:** The successful bidder has to execute all the Purchase Orders against this Rate Contract, within the stipulated time frame.

10. **PENALTY:** In case of delay in executing the SITC orders issued against the Rate Contract, a Penalty @1% of order amount per week of delay shall be imposed, subject to a maximum penalty amount of 10% of the order value, beyond which the order shall be cancelled and the PBG forfeited.

10. **BILLING AND PAYMENTS:**

- (i) No advance payments shall be made.
- (ii) The payment to the successful bidder(s) shall be made in the following manner:
 - a) 80% payment (excluding cost of Comprehensive Annual Maintenance Contract) shall be made against full supply of order

material against certificate of Executive Director, Medical College, Kakryal.

b) 20% payment shall be made after successful installation, testing, commissioning and handover of equipment(s) to the end users against certificate to be issued by Executive Director, Medical College, Kakryal.

c) The Comprehensive Annual Maintenance Charges shall be paid in 05 Annual equal instalments at the end of each year of CAMC coverage.

(iii) The supplier shall have to mention the GST No. 01ABIAS9784P1ZK of Shri Mata Vaishno Devi Charitable Society, Katra while raising their bill of supplies. While filing GSTR-I, the supplier shall classify the supply / Service made to Shrine Board under Business (B to B) Sales. The supplier shall also mention six-digit HSN code of the material to be supplied. In case the vendor doesn't upload / mention the bill under B to B, the GST amount levied in the Bill shall not be paid.

(iv) The supplier shall file GSTR 1 and 3B within the due dates prescribed under the CGST / SGST Act 2017 so as to enable SMVDSB to claim timely input credit. In case of default, interest @2% per-month of tax amount shall be charged and recovered from the defaulting supplier.

(v) In case of quarterly based GST filling firms, the supplier shall have to transfer their bills (B to B) on monthly bases under Invoice Furnishing Facility (IFF).

11. **INSPECTION / LIFTING BACK OF REJECTED SUPPLIES:**

i. The supplied machines / equipments shall be checked / inspected by the team nominated by the authorities and if found defective or not as ordered, the same shall be rejected at the sole risk of vendor.

ii. The rejected material shall have to be lifted by the supplier at his own risk and cost within a week's time failing which storage charges per day as may be deemed fit by the authority shall be levied. Beyond one month the material shall be auctioned and storage charges shall be recovered from the supplier @2% per day.

12. **TERMINATION OF CONTRACT:**

If the successful bidder fails to execute the SITC orders within the stipulated time or violates the terms and conditions of the e-NIT. The rate contract is liable to be cancelled by the competent authority. In such an eventuality, no compensation / damages, whatsoever shall be payable to the successful bidder.

13. **ARBITRATION:**

All disputes and differences between the parties hereto shall be referred to the sole arbitration of the person to be nominated and appointed by the **Chief Executive Officer, Shri Mata Vaishno Devi Shrine Board**, whose decision shall be final and binding upon the parties to this agreement. The provision of The Arbitration and Conciliation Act, 1996 shall apply. Courts at Jammu only shall have the jurisdiction to entertain any legal proceeding arising out of this contract.

14. **FORCE MAJEURE:**

Any failure or omission to carry out the provisions of the order shall not give rise to any claim by one party against the other, if such failure or omission arises from an "Act of God" which shall include all acts of Natural Calamities such as fire, flood, earthquakes, hurricanes or any pestilences or from civil strikes, compliances with any statute or regulations of the Government lock outs and strikes, riots, embargoes or from any other reasons beyond the control of the parties including the war (Whether declared or not) Civil War or State of Insurrection.

Queries may be addressed to:

1. Executive Director, Medical College, Kakryal

E-Mail: edir.smydime@maavaishnodevi.net

Contact No. 9906035050

2. Asstt. Chief Executive Officer (G), SMVDSB

E-Mail: aceog@maavaishnodevi.net

Contact No. 9906019466

No.: CO/Pur/NE/612/3705

Dated: 25.07.2024

Sd/-

(Dr. Gopal K Sharma)

Asstt. Chief Executive Officer

(Technical Bid)

**(To be submitted on the letterhead of the Agency)
FOR SUPPLY OF MACHINES / EQUIPMENTS TO SHRI MATA VAISHNO DEVI
SHRINE BOARD, KATRA**

Name of the Tenderer: _____

Detail of Tender Fee:

a) UTR No. _____ date _____ Amount _____

Detail of EMD:

EMD in the form of CDR/FDR/TDR No. _____, Amount: _____

Date: _____, Bank _____, Branch _____

To,

**The Chief Executive Officer,
Shri Mata Vaishno Devi Shrine Board,
Katra.**

Sir,

I hereby submit my tender / bid for supplying medical machines / equipments for Shri Mata Vaishno Devi Shrine as mentioned in the **Clause No. 03 of the e-NIT**. The detail of the particulars submitted through online mode and in a hardcopy format is as produced below:

S. No.	Particulars	Attached/Not Attached
1.	Name of the Supplier / Manufacturer with Address (telephone number/Mobile No.) along with brief description of background.	
2.	Authorized dealer / distributor / supplier of medical machines / equipments certificate.	
3.	Experience of supply of Medical machines / equipments to Government Medical Colleges, Government Universities/ Institutes of National Importance for not less than 03 years as on 31 March, 2024 (Attach relevant copies of work order).	
4.	Affidavit on stamp paper dully attested by 1 st Class Magistrate	
5.	Average Annual turnover for the last three years (2021-22, 2022-23 & 2023-24). (Proof to be enclosed)	
6.	The tenderer must have sound financial background and a positive net worth for the last three years (2021-22, 2022-23 & 2023-24). (Proof to be enclosed)	
7.	Audited Balance sheet for the last 03 years 2021-22, 2022-23 & 2023-24.	
8.	a) PAN (proof to be enclosed) b) ITR statement/ Income Tax Assessment Order (for the last three years to be enclosed) i.e. 2021-22, 2022-23 & 2023-24. c) GST No. (proof to be enclosed)	
9.	Declaration Certificate (Annexure-C)	
10.	No Deviation Certificate (Annexure-D)	

S. No.	Particulars	Attached/Not Attached
11.	Undertaking (Annexure-E)	
12.	Authorization Certificate from Principal Manufacturer (Annexure-F)	
13.	Assurance Certificate from Principal Manufacturer (Annexure-G)	

Copies of documentary proof may be furnished where-ever required. Additional pages may be used, if needed.

Signature: _____

Name: _____

Designation: _____

R/o: _____

Contact No.: _____

Specifications of Medical Machines / Equipments:

S. No.	ANATOMY
1	Dissecting instruments for cadaveric dissection: -
	Post Mortem Scissors
	Blow Pipe
	Amputation Saw
	Bowel Scissors
	Combined Hammer with Chisel
	Chisel with Detachable Cross handle
	Bipod Skull Rest
	Caltin Knife
	Cartilage Knife
	Chain Hook Set of 3
	Dissecting Forceps
	Scalpel (Four Pcs)
PHYSIOLOGY	
1	Tuning fork time marker 100/sec:-
	Tuning fork, N-100 with stylus.
	Tuning Fork time Markers 100/sec.: Frequency -100Hz with attaché pointer in one of the Prongs
2	Electrodes:-
	Electrodes,
	SIMPLE ELECTRODE Acrylic block with copper wire poles
	Copper wire placed in holder made of nonconductive material (cork, Plastic ect)
	With screw
	Shielded electrode two wire parallel to each other in layer of nonconductive material
Polarizable or non-Polarizable electrode	
3	Spirit lamps:-
	Stainless steel spirit lamp for laboratory use.
	It is made up of stainless steel material which is highly durable.
	Wick is replaceable.
4	Marey's tambour:-
	MAREY'S TAMBOUR: Stainless steel capillary lever,22 mm . Dia.
	MAREY'S TAMBOUR: Stainless steel capillary lever,28 mm . Dia.
	MAREY'S TAMBOUR: Stainless steel capillary lever,35 mm . Dia.
5	Low voltage unit for tapping 2 and 4 volts for stimulation
6	Electromagnetic time marker:-
	Coil wound round soft iron bar
	Coil connected to screw
	Soft iron plate with spring
	Tension of screw can be regulated by screw
	Writing lever attached to plate
	Bar and holder to fix the instrument on stand
7	Douglas bag, complete:-
	Made up of impervious flexible sheet Which can be placed on back of person
8	Compass aesthesiometer:-

	COMPASS AESTHESIOMETER : Stainless steel/Brass, with well formed points, and an adjusting screw giving movement of app: 1 mm per half turn read on a scale.
9	Thermo-aesthesiometer:-
	Therman aesthesiometer
	HEAT & COLD SPOT HAMMER: double pointed, from stainless steel.
10	Algometer:-
	Broad blunt knob attached to spring which can be pressed
	With scale to measure pressure
11	Knee hammer:-
	Used to test joint reflexes or bone fractures in the joints. The Taylor hammer features a 7.5 inch chrome handle and a triangular rubber head. The head comes in several colors, so you can easily identify your own equipment. Medical instrument used by practitioners to test deep tendon reflexes. Testing for reflexes is an important part of the neurological physical examination in order to detect abnormalities in the central or peripheral nervous system.
12	Tuning fork to test hearing 32-10000 cps(sets-100, 256, 512 Hz):-
	Tuning forks to test hearing 32-10,000 cps (sets)(sets-100,256,512 hz)
	Type:- Hearing test
	Shape:- U Shape,
	Handle:- Solid,
	Length:- 5-7 Inch
	Features:- Heavy duty
	Material:- Stainless steel and aluminium
	Frequency:- 100-200 to 500-600 Hz,
	Frequency (Hz):- 288,256,128 HZ,
Surface Finish:- Galvanized	
13	Dynamometer:-
	GRIP DYNAMOMETER: ACCURACY - Equipped with high precision strain gauge sensor, the hand dynamometer gives you accurate momentary digital reading of gripping power. Measuring Capacity: 198lbs / 90kgs; Division: 0.2lbs / 0.1kgs
	USER FRIENDLY - Squeeze the hand dynamometer with maximum isometric effort for at least 5 seconds. After testing, the LCD will automatically display the maximum grip value and a grip value status bar showing the status of "weak", "normal" or "strong" according to age and gender preset for each test.
	MEMORY RECORD - The device can store data for up to 19 definable users, and their records can be recalled anytime when needed; Moreover, the incremental increase or decrease from the last record will be automatically shown for comparison after each test.
14	Adjustability - Turn the adjustable gear to get an ideal grasp according to the size of hands. It is good fit for both big hand and small hand.
	Stop watch:-
	Stop Watch (Digital)
PHARMACOLOGY	
(A)	Clinical Pharmacy
1	Special Drug Delivery systems like Metered Dose Inhalers, Spacers, Rotahalers, Nasal sprays, Transdermal patches, Insulin infusion pumps
	(optional), Insulin pen etc.
2	Samples of dosage formulations of various types including rational and
	irrational FDC, Essential medicines
MICROBIOLOGY	

	Facility for heating slides
	SLIDE WARMING TABLE
1	Temperature range ambient temp. to 70° C i.e. below the melting point of wax. The temperature is thermostatically controlled. The body is made out of thick mild steel duly finished in white stoving enamel/powder coated paint with mat finished colour combinations and top is made of highly polished aluminum sheet. To work on 220V AC 50 Hz single phase.
	Top plate size (Length xWidth)
	d) 60x15 cm (24"x6")
	Lab Refrigerator (minimum 400 litres)
	Laboratory Refrigerator:
2	Specifically designed and are suitable for research laboratories, blood banks applications and across other laboratories working with critical elements. The laboratory refrigerator controls temperature varying from 2deg. C to 8deg. C. the unit shall be vertical model constructed of double walls high quality powder coated exterior mild cabinet. The laboratory refrigerator shall be insulated with high density CFC free Poly urethane foam. The inner chamber is made of S.S. 304 grade. With built in micro controller based temperature indicator cum controller having audio visual alarms. Door locking system for improved security with magnetic door gasket. Air cooled hermetically sealed compressor.
	Technical data
	Capacity Internal (cm) External
	400 ltr.
	Colony Counter
3	Colony counter
	Digital Colony Counter 3 digit LED display, Range 0-999.
(C)	Consumables for Culture and Serological Diagnosis
4	Antibiotic Discs for Antibiotic susceptibility testing
	Antibiotic zone scale
5	ANTIBIOTIC ZONE READER: An ideal device for determination the strength of antibiotic activity, by measuring the diameter of inhibition zone in a Petri dish. It measures the diameter of Inhibition zone to 0.1mm within the range of 0 to 35mm. Light from source in the base, passes through the transparent and semi transparent portion of agar, then to refluxed mirror supported by an arm above the unit. The mirror reflects the light to a glass prism, mounted at the front of unit, and magnified image of the zone clearly visible on the prism.
6	Antisera-Salmonella
7	Antisera-Shigelladysenteriae
8	Antisera-Shigellaflexnari
9	Antisera-Shigellasonnie
10	Antisera-Vibrio cholerae
11	ATCC strain - Enterococcus faecalis 29213
12	ATCC strain - E.coli 25922
13	ATCC strain - E.coli 35218
14	ATCC strain - Pseudomonas aeruginosa 27853
15	ATCC strain - Staphylococcus aureus 25923
16	ATCC strain - Staphylococcus aureus 29213
17	Bottles for blood culture
18	(a) Personal protective equipment (PPE)
COMMUNITY MEDICINE	
1	Hydrometer, milk:-

	Hydrometers, Milk
2	Balance for weighing food stuff(Capacity 2 Kg):-
	Weighing Scale, Highly Accurate And Sensitive Scale Manufactured As Per International Specification, Ultra-Modern Shapes Without Any Edge, Wide View Dial With Moving Pointer, Easily Removable Pan
	Weighing Capacity:- 2-10 Kg
	Material :- Plastic
	Display type :- Analog
3	Weighing machine adult:-
	Accurate Measurements Four high precision weight sensors provide accurate measurements down to a 0.2 lb (0.1 kg) graduation. Easy to Read Bright LCD automatically lights up with each measurement and large numbers make your results are easy to read even in a dark place. Easy to Use Immediate readings as soon as you step on the scale. Saving your power of the battery, Auto-on, auto-off, auto-zero, auto-calibration. Lock weight results after stabilization. Anti-skid Padding Four anti-skid paddings keep the weighing platform stable while taking measurements. Fit Anywhere
	Max Weight : 180 Kgs.
	Capacity:upto 180 kg
	Power Supply:Battery
	Display Type:LCD
	Battery Type:AAA Battery
Body Material: Weighing Scale, Strong & Best ABS/Glass Build Electronic Scales	
4	Baby weighing machine:-
	Baby Digital Baby Scale With Large LCD Display 20kg Capacity. It has attractive design in white colour. It has two weight modes : Kg. & LB, Three Buttons : ON/Zero, MODE, MEM. It is operated with Use 4XAA batteries(not included) This weighing scale provides very accurate measurements.
	Key features
	Auto Hold Function, Manual Hold & Tare Function.
	High Strain Gauge Sensor & Higher Weighing Capacity.
	23mm LCD digits Auto Zero & Auto Switch Off Options Low Battery Detection Overload Indication.
5	Salter's Baby weighing machine:-
	Baby Weighing Scale (Salter Type) which is available with following Features:-
	Zero adjustment device
	Compact to fit in kit
	Light weight - Aluminium
	With hook, suspension ring & rustproof handle for a firm grip
	Up to 5 kg x 100 gms.
	Graduation in , green, yellow & red colours.
	Adjustable facility
	With weighing trouser
	Specification
	Mode Of Operation:-Manual
	Display Type :- Analog
	Maximum Capacity:- 25KGS
	Dimensions:- STANDARD
Division :- 100GM	
Accuracy :- STANDARD	
Capacity :- 25 kg	

	Material :- ABS / Metal Body
	Graduation:- 100 gms
	Applications:
	Clear and easy to read Graduations
	For baby and Infant
	Supplied with top and bottom hook with weighing trouser
6	Harpenden Calipers (for skinfold thickness):- (for skin fold thickness)
	The Harpenden skinfold caliper is the most accurate, tested, prestigious, and scientifically advanced skinfold caliper in the world. Designed in 1958, the Harpenden Skinfold Caliper has been used on projects of international importance. Dial Graduation: 0.20 mm; Measuring Range: 0 mm to 80 mm; Measuring Pressure: 10 gms/mm ² (constant over range); Accuracy: 99.00 percent; Repeatability: 0.20 mm;
	Dial Graduation: 0,20 mm
	Measuring Range: 0 mm to 80 mm
	Measuring Pressure: 10 gms/mm ² (constant over range)
	Accuracy: 99.00%
	Repeatability: 0,20 mm
7	Height measuring stand:-
	Height Measuring Scale, floor model without weighing scale
	Measuring range : 20 220cm with 1mm Graduation. Measuring in inches and centimeters
	Height stand disassembles into 4 sections & easy to transport in disassembled condition
	It measures the height in centimeters and has a maximum height measuring capacity of 220 cm and a maximum weight capacity of 125kg x 500G. Owing to the high quality of the products,
	features :
	Powder coated finishing
	Corrosion resistance
	Sturdy construction
	measuring range - 20-220 cm
	material used = non-breakable abs/Metal
easy to fold and move	
measurement in inch and centimeter both	
8	Chloroscope:-
	It is used to determine the amount of free residual chlorine in water after chlorination
	The unit consists of :-
	Main Body-for holding sample tubes and reagent dropper
	Glass test tubes- two in number
	Graduated colour disc showing four standards 0.1,0.2,0.5,1.0
	A dropper for the reagent.
A bottle for orthotolidine reagent in unbreakable bottle.	
9	Horrock's Apparatus:-
	Horrock's apparatus is used for estimating the dose of bleaching powder needed to disinfect water
	It is used mostly while disinfecting the water in a well
	Contents
	<ul style="list-style-type: none"> • 6 white cups, each of 200 ml capacity • One black cup with a circular mark on the inside

	<ul style="list-style-type: none"> • 2 metal spoons (each holds 2g of bleaching powder when filled up to the brim) • 7 glass stirring rods • One special pipette • Two droppers • Starch - iodide indicator solution
10	MUAC tapes
11	Sound level meter:-
	Sound level meter range between 26 ... 130 dB
	The noise meter detects the volume from a sound level of 26 dB The meter is ideal for measuring very low noises, for example, noises from computer fans. The class II noise meter with jumbo display (and at a very good price / performance ratio) is ideal for measurements of sound and noise in different environments, at work, condition monitoring, etc
	Also known as the phonometer, this device is designed to IEC 651 Type II and has a very high accuracy of ± 1.5 dB. Another advantage of this meter is the analogue output.
	- measuring range 26 ... 130 dB
	- 6 measuring ranges selectable
	- analog output (AC & DC) / usable in combination
	- memory for 99 measured values, available in the display
	- frequency range 31.5 Hz to 8 kHz
	- large display with bargraph
	- adjustable measuring ranges on the dB meter: Low & High
	- A and C frequency rating
	- fast and slow time evaluation
	- Min- & Max Hold function
- Tripod mounting device	
- including wind noise suppressor	
12	Water sampling bottle from any depth
13	Needle Shredder
14	Vaccine carrier:-
	External Surface Material:- HDPE (High Density Polyethylene)
	Internal Lining Material:- HIPS (High Impact Polystyrene)
	Insulation Material:- CFC free Polyurethane
	Insulation Thickness:- 20/25mm
	Lid type & Fixings:- Removable
	Number of Ice packs:-2
15	Craft water testing kit
	WATER AND SOIL ANALYSIS KIT (7 parameter)
	3 ½ digit LCD display covering 7 parameters: pH, mV, Conductivity, TDS, Salinity, mV, DO and Temperature. Battery cum mains operated, complete with accessories, fitted in high quality ABS brief case.
16	Treatment kits as per national health programs
17	Iodine testing kit
18	Glucometer
19	Mosquito catching kit:-
	Mosquito larval kit is a complete solution for collection, cleaning, sampling, storage of mosquito larvae for field surveillance and monitoring. The kit consists of following items;
	4-step Collection Ladle - 1 no's

	Test Sieves to screen larvae from water contaminants like debris - 4 no's of different micron sizes
	Polystyrene clear bottles - 4 no's
	White enamel or SS tray - 1 no's to screen the larvae
	Glass pipette to collect the larvae from containers - 2 no's
	Larval emergence traps - 2 no's to rear field collected samples into adults under separate environment to protect lab adopted colonies from infections
	Adult rearing - from field collected pupae - 1 no's
	Torch - powerful LED torch
	Carry bag to hold all the items securely
20	First Aid Kit
FORENSIC MEDICINE & TOXICOLOGY	
1	Chemical Balance
	Balance, chemical with weights(Wooden)
	Chemical balance manual teak wood
2	Hot Plate
	HOT PLATE
	Body is fabricated out of thick mild steel sheet duly finished in white stoving enamel/powder coated paint with mat finished colour combinations. The hot plate made of cast iron or top is made of highly polished stainless steel sheet precisely machined & smoothed duly finished in heat resistant black paint is firmly mounted on the body. Heavy duty heating elements are securely layed under the plate to operate on 220V AC 50Hz single phase. Temp. is controlled by a three-heat rotary switch / energy regulator as per demand.
	A) HOT PLATE: (ROUND) SINGLE
	Specifications as above with 20 cm (8") dia. moulded top
3	Weighing Machine For Dead Bodies:-
	Weighing machine for cadavers (300 kg) With Stainless steel platform
	Body autopsy floor scale is weighing scale with platform for taking weights of cadavers. It is designed to withstand intensive use and most rigorous conditions of a mortuary/forensic dept. conducting multiple examinations per day measuring dead body weight ranging from 0 kg to 300 kg.
	The dead body weighing scale has four weighing points for optimum precision and reliability. The platform is made of high grade Stainless steel.
	The platform for keeping the body is sturdy, made of stainless steel is of size 6 feet X 2 ½ feet X 8 inches. The cabinet has a digital read out with help of a custom built LCD to display the weight rapidly with help of four highly responsive load sensors. The weighing scale will have an inbuilt battery backup to prevent hassles at the time of power failure.
	The digital display can be mounted on wall or kept on a table. The equipment is designed to operate on 220V AC Supply with an inbuilt battery and battery charger.
4	Weighing Machine For Organs 2 Kg
5	Weighing Machine For Fetus
6	Rib Shear Left & Right
7	Measuring Tape(Steel Tape Roll)
	Steel tape roll
8	Tooth Extractor Left & Right.

(ON THE LETTER HEAD OF THE FIRM)

DECLARATION

I / We hereby declare that no case is pending with the police / court against the bidder / firm / company (Agency). Also, I / We have not been suspended / blacklisted by any PSU / Government Department / Financial Institution / Court etc.

Seal and Signature of the bidder

Place:

Date:

(ON THE LETTER HEAD OF THE FIRM)

NO DEVIATION CERTIFICATE

Notwithstanding anything mentioned in our bid, we hereby accept all the terms and conditions mentioned in the e-NIT. I/We hereby undertake and confirm that we have understood the specifications properly and shall supply the medical machines / equipments to SMVDSB during the Rate Contract Period.

Seal and Signature of the bidder

Place:

Date:

(ON THE LETTER HEAD OF THE FIRM)

UNDERTAKING

To _____
The _____

Sub: Tender for Procurement of Machinery and Equipment for establishment of Anatomy, Physiology, Pathology, Community Medicine, Biochemistry, Forensic Medicine & Toxicology, Microbiology Departments of Medical College, Kakryal (Group-D)

Sir,

1. I/We hereby agree to abide by all terms and conditions laid down in tender document.
2. **We will be responsible for warranty of Machinery and Equipment for five years, from the date of successful installation.**
3. This is to certify that/We before signing this bid have read and fully understood all the terms and conditions and instructions contained therein and undertake myself/ourselves abide by the said terms and conditions.
4. I/we agree to abide by the tendered terms & conditions
5. I / we declare that our financial position is sound and we are competent to execute the supplies as & when allotted.
6. We will execute the supplies strictly in accordance with the approved specifications, if approved in our favour.

(Signature of the Bidder)

Name and address of the Bidder

(ON A LETTER HEAD OF THE PRINCIPAL MANUFACTURER)

UNDERTAKING

The _____

Sub: Tender for Procurement of Machinery and Equipment for Medical College, Kakryal
(Group-D)

Sir,

This is in reference to your Tender Notice No: _____. In this regard we have authorized the below mentioned Party to quote the above said tender on our behalf:-

M/S _____
Correspondence address _____
Contact person _____
Contact No. _____

Signature with seal: _____
Name of the signing person _____
Designation: _____
Contact No: _____
e-mail: _____

TO BE SUPPLIED BY THE PRINCIPAL MANUFACTURER ON THEIR LETTER HEAD

I _____ do hereby solemnly affirm and declare as under:

1. In case of any change of our local dealer/Agent, we will be fully responsible during the warranty period of the equipment as well as execution of Comprehensive Maintenance Contract after the expiry of the warranty period on the rates quoted by their dealer.
2. Spares of the quoted model shall be available at least for a period of seven years after the expiry of warranty period.
3. The models quoted by our dealer, on our authority, are compliant with the tendered specifications and deviations, if any, are mentioned in "Remarks" Column in compliance sheet.
4. The product / model number being quoted against the tender is currently undergoing production and have not been discontinued by us and
5. Our Average Turnover of last three financial years was_____

Deponent should be the same person who has signed the Annexure "F"

FINANCIAL BID
(to be submitted online only)

FOR THE SUPPLY OF MACHINES / EQUIPMENTS TO SHRI MATA VAISHNO DEVI SHRINE BOARD (Group-D).

S. No.	Item	Indicative Quantity	All inclusive rate per Unit for SITC (in Rs.)	CAMC charges for 5 years (in Rs.)	Total Amount (in Rs.)
1.	Dissecting instruments				
2.	Cabnit for slides (1000)				
3.	Diamond Pencil				
4.	compass aesthesiometer				
5.	Thermo Aesthiometer				
6.	algometer				
7.	Knee Hammer				
8.	Dynamometer				
9.	Stop watch				
10.	Yoga Mat				
11.	Tuning fork to test hearing 32-10000 cps(sets-100, 256, 512 Hz)				
12.	Douglas bag, complete				
13.	Tuning fork time marker 100/sec				
14.	Electrodes				
15.	Spirit lamps				
16.	Marey's tambour				
17.	Low voltage unit for tapping 2 and 4 volts for stimulation				
18.	Refrigerator 9-10 deg centigrade				
19.	Voltage stabilizer				
20.	Stepdown transformer				
21.	urine strips for glucose and protein				
22.	Facility for heating slides				
23.	Lab Refrigerator (minimum 400 litres)				
24.	Colony Counter				
25.	Antibiotic Discs for Antibiotic susceptibility testing				
26.	Antibiotic zone scale				
27.	Antisera-Salmonella				
28.	Antisera-Shigelladysenteriae				
29.	Antisera-Shigellaflexnari				
30.	Antisera-Shigellasonnie				
31.	Antisera-Vibrio cholerae				
32.	ATCC strain - Enterococcus faecalis 29213				
33.	ATCC strain - E.coli 25922				

34.	ATCC strain - E.coli 35218				
35.	ATCC strain - Pseudomonas aeruginosa 27853				
36.	ATCC strain - Staphylococcus aureus 25923				
37.	ATCC strain - Staphylococcus aureus 29213				
38.	Bottles for blood culture				
39.	(a) Personal protective equipment (PPE) (b) Viral Transport Medium (VTM) (c) All other consumables and kits as required for Virology studies.				
40.	Magnifying Glass with metal handle				
41.	Metal mincing machine				
42.	Postmortem instrument set complete				
43.	Filtering apparatus seitz				
44.	filler and Millipore filler each				
45.	desiccator				
46.	vacuum desiccators				
47.	apron plastic for postmortem				
48.	apron rubber for postmortem				
49.	colony counter				
50.	Special Drug Delivery systems like Metered Dose Inhalers, Spacers, Rotahalers, Nasal sprays, Transdermal patches, Insulin infusion pumps (optional), Insulin pen etc.				
51.	Samples of dosage formulations of various types including rational and irrational FDC, Essential medicines				
52.	Chemical Balance				
53.	Hot Plate				
54.	Weighing Machine For Dead Bodies				
55.	Weighing Machine for Organs				
56.	Weighing Machine For Fetus				
57.	Rib Shear Left & Right				
58.	Measuring Tape(Steel Tape Roll)				
59.	Tooth Extractor Left & Right				
60.	Hydrometer, milk				
61.	Balance for weighing food stuff(Capacity 2 Kg).				
62.	Weighing machine adult				
63.	Baby weighing machine				

64.	Salter's Baby weighing machine				
65.	Harpender Calipers (for skinfold thickness)				
66.	Height measuring stand				
67.	Chloroscope				
68.	Horrocks' Apparatus				
69.	MUAC tapes				
70.	Sound level meter				
71.	Water sampling bottle from any depth				
72.	Vaccine carrier				
73.	Craft water testing kit				
74.	Treatment kits as per national health programs				
75.	Iodine testing kit				
76.	Glucometer				
77.	Mosquito catching kit				
78.	First Aid Kit				