



Office of the Chief Executive Officer Shri Mata Vaishno Devi Shrine Board, Katra

Request for Inviting Quotation

Sealed quotations (on the letter head of the firm) are invited from reputed manufacturers / distributors / dealers / suppliers only for furnishing the rates of Misc. Electric Items (Modular Fittings, etc.) of different ratings as per detail / specifications mentioned at **Annexure "A"** alongwith relevant documents for supply of the same giving full details in sealed cover viz. Net price (inclusive of GST & other taxes, F.O.R. Engineering Store, Banganga, Katra) payment terms including special discount to SMVDSB.

The sealed quotation addressed to the Undersigned should reach this Office through speed post / registered post / reputed Courier or can be handed over to Receipt & Dispatch Section, Central Office, SMVDSB at Katra by or before **16.09.2024 upto 04:00PM**, positively. The quotations shall preferably be opened on the same day or on any other convenient day, in presence of the representative of the firms who choose to remain present.

Following particulars must be mentioned on the envelope containing your quotation:

Quotation- "Misc. Electric Items (Modular & others Fittings) of different ratings"

**NOT TO BE OPENED BEFORE 16.09.2024 (upto 04:00 pm)
RFIQ No. CO/Pur/Elect/601/2837 Dated: 09.09.2024**

Terms and Conditions:-

1. This is just a purchase enquiry and not a supply order.
2. Rates quoted should be Net inclusive of GST / all taxes and F.O.R. at Engineering Store, Banganga, Katra and should be **valid for a period of 45 days**, from the date of issuance of rate approval order.
3. The R.F.I.Q. shall contain full address, Mobile Number along with alternate contact number, E-mail address of the Bidder (Authorized supplier).
4. The Shrine Board reserve the right to:
 - a) Cancel the R.F.I.Q. without any notice.
 - b) Reject, accept or prefer any quotation in part or full without assigning any reason whatsoever at any stage.
 - c) Re-invite the quotations at its sole discretion.
 - d) Negotiate the quoted rates, terms and conditions with the lowest Bidder or any of the other Bidders who have participated in the RFIQ to ascertain the suitability of the acceptable offer.
 - e) Split the demand among one or more firms.
5. Kindly quote / mention the name of the brand / make / warranty / Guarantee period along with proper specifications offered by you as per technical specifications.
6. The rates should be quoted on the format enclosed with RFIQ and as per the specifications / UOM / requirement. Any deviation from the same shall tantamount to rejection of the offer / rates quoted by you.
7. The quantity mentioned in the Annexure is indicative in nature and can be increased or decreased, as per requirement.
8. The material to be supplied shall be of original make only. Any deviation shall tantamount to rejection of the supplied material and action under rule shall be initiated.

9. No advance payment shall be made. The payment shall be made after receipt and proper inspection of complete material at Engineering Store, Banganga, Katra and after 20 days from the date of issuance of G.R.
10. No extra payment shall be made to the firm on account of escalation in the material cost, transportation / labour charges during the period of validity of rates.
11. The material shall be strictly as per the requirement / specifications of Shrine Board.
12. On receipt, the material shall be inspected / checked by our Inspection Committee and if found of inferior quality / defective. The same shall be rejected and the Board shall be at liberty to have the same procured from open market at the risk & cost of the supplier whereby the original supplier shall be liable to pay extra cost, if any, involved in the process. The Competent Authority, however, may accept the replaced material, within the delivery period if it conforms to the approved specifications.
13. **Earnest Money Deposit**:-The Earnest Money Deposit (EMD) in the form of CDR / FDR pledged to FA/Chief Accounts Officer, SMVDSB, Katra amounting to **Rs. 25,000/- (Rupees Twenty Five Thousand Only)** the quotation without which the offer shall be rejected, outrightly.
14. **Security Deposit**: The successful bidder shall deposit an amount equals to 5% of the contract amount as Security Deposit before issuance of Rate Approval Order, in the shape of CDR/FDR/ TDR pledged to FA/Chief Accounts Officer, SMVDSB, Katra. The EMD of the Successful bidder shall be returned subsequently within a period of 15 days after submission of Security Deposit. The Security Deposit shall be released after expiry of rate approval contract subject to satisfactory performance report received from Engineering Stores, Banganga.
15. The following penalties shall be imposed after delay beyond the delivery period, subject to the acceptance by the competent authority of SMVDSB: Upto 7 days @ 0.5%. ii) from 8th day to 15th day @ 1%. iii) From 16th day upto 22nd day @ 1.5%. From 23rd day to 30th day @ 2% shall be imposed on each pending item as per the approved rate / quantity mention in the purchase order of the value of pending supplies, v) Further delay shall attract penalty @ 1% every 10th day. In case of incomplete supply, an amount of 2% of the total value of work shall be deducted from the due payment of the supplier.
16. In case of non-supply of material, the rate approval will be deemed to have been cancelled without any correspondence, besides, debarring the firm for further participation in future RFIQs / NITs for a period of 03 years. The EMD submitted in this regard shall also be forfeited.
17. Standard terms & conditions shall also be included in the purchase order.
18. Conditional, illegible, ambiguous quotation(s) and quotation(s) received after the stipulated date and time shall be rejected out-rightly.

Sd/-
(Alok Kumar Maurya, IFS)
Addl. Chief Executive Officer

PRICE BID
(on the Letter Head of the Firm)

To,

The Dy. Chief Executive Officer (V),
Shrine Mata Vaishno Devi Shrine Board,
Katra.

Subject: Quotation for supply of Misc. Electric Items (Modular Fittings, etc.) of different ratings.

Ref. CO/Pur/Elect/601/2837

dated 09.09.2024

I, _____ representative / proprietor of
M/s _____ hereby submit my following rates as per
specification / UOM / requirement of Shrine Board, Net inclusive of GST, freight, loading / unloading
and other taxes / charges F.O.R. Engineering Store, Banganga, Katra:

S.No.	Description of Item	Tentative Quantity (in Nos)	Brand / Make Offered	NET Rate (Inclusive of GST and other taxes) F.O.R. Engg. Store, Banganga, Katra,
1.	Modular Angle Holder Color: Ivory Material: Polycarbonate with brass metal ring	250	Anchor, Havel's, HPL & Great White.	
2.	Modular Pendant Holder (6A-240V)	400	Anchor, Havel's, HPL & Great White.	
3.	Modular Batten Holder Color: Ivory Material: Polycarbonate with brass metal ring	250	Anchor, Havel's, HPL & Great White.	
4.	Ceiling Rose	75	Anchor, Havel's, HPL & Great White.	
5.	Combined Switch Socket 5/15 Amp (SS Combined)	500	Anchor, Havel's, HPL & Great White.	
6.	P/T Switch 05/06 Amp.	1000	Anchor, Havel's, HPL & Great White.	
7.	P/T/ Switch 15/16 Amp	255	Anchor, Havel's, HPL & Great White.	
8.	3/5 Pin Socket 5 Amp	1000	Anchor, Havel's, HPL & Great White.	
9.	3/5 Pin Socket 15/16 Amp	500	Anchor, Havel's, HPL & Great White.	
10.	3 Pin Top 05/06 Amp	600	Anchor, Havel's, HPL & Great White.	
11.	3 Pin Top 15/16 Amp	250	Anchor, Havel's, HPL & Great White.	
12.	Electronic Type Regulator Step up Type (Switch Type)	100	Anchor, Havel's, HPL & Great White.	
13.	Electronic Type Regulator Step up Type (Socket Type)	100	Anchor, Havel's, HPL & Great White.	
14.	Bakelite Sheet 5"x 5"	500	Super Hylam or IS-2046	
15.	Bakelite Sheet 8"x 5"	500	Super Hylam or IS-2046	
16.	Bakelite Sheet 9"x 11"	125	Super Hylam or IS-2046	
17.	Bakelite Sheet 11"x 13"	125	Super Hylam or IS-2046	
18.	PVC Tape Roll	2000	Anchor, Steel Grip, Plaza	
19.	Cord Less Bell	25	Anchor, Havel's	

20.	Ding Dong Bell	25	Anchor , Havel's	
21.	Modular Box 18 Way Size : 142mm x 230mm	50	Legrand, Havel's, ABB. L&T, Polycab, Indoasian, Anchor Roma.	
22.	Modular Box 16 Way Size : 142mm x 230mm	75	Legrand, Havel's, ABB. L&T, Polycab, Indoasian, Anchor Roma.	
23.	Modular Box 12 Way 132mm x 207mm	400	Legrand, Havel's, ABB. L&T, Polycab, Indoasian, Anchor Roma.	
24.	Modular Box 8 Way 79mm x 230mm	400	Legrand, Havel's, ABB. L&T, Polycab, Indoasian, Anchor Roma.	
25.	Modular Box 6 Way 79mm x 207mm	400	Legrand, Havel's, ABB. L&T, Polycab, Indoasian, Anchor Roma.	
26.	Modular Box 4 Way 79mm x 135mm	355	Legrand, Havel's, ABB. L&T, Polycab, Indoasian, Anchor Roma.	
27.	Modular Box 3 Way 79mm x 99mm	475	Legrand, Havel's, ABB. L&T, Polycab, Indoasian, Anchor Roma.	
28.	Modular Box 2 Way 79mm x 75mm	75	Legrand, Havel's, ABB. L&T, Polycab, Indoasian, Anchor Roma.	
29.	Modular Box 2x4 Way	50	Legrand, Havel's, ABB. L&T, Polycab, Indoasian, Anchor Roma.	
30.	Modular Plate 12 Way 220x154mm	50	Legrand (My linc)	
31.	Modular Plate 8 Way 260x90mm	50	Legrand (My linc)	
32.	Modular Plate 6 Way 220x90mm	50	Legrand (My linc)	
33.	Modular Plate 4 Way 146x90mm	50	Legrand (My linc)	
34.	Modular Plate 3 Way 118x90mm	50	Legrand (My linc)	
35.	Modular Plate 2x4 Way	25	Legrand (My linc)	
36.	Modular Plate 18 Way 260x90mm	50	Havel's (Coral)	
37.	Modular Plate 16 Way 220x90mm	50	Havel's (Coral)	
38.	Modular Plate 12 Way 220x90mm	500	Havel's (Coral)	
39.	Modular Plate 8 Way 146x90mm	600	Havel's (Coral)	
40.	Modular Plate 6 Way 118x90mm	600	Havel's (Coral)	
41.	Modular Plate 4 Way 94x90mm	600	Havel's (Coral)	
42.	Modular Plate 3 Way	570	Havel's (Coral)	
43.	Modular Plate 2 Way	450	Havel's (Coral)	
44.	Modular Plate 2x4 Way	50	Havel's (Coral)	
45.	Modular Plate 18 Way 260x90mm	50	ABB, L&T, Polycab, Indoasian, Anchor,Roma	
46.	Modular Plate 16 Way 220x90mm	50	ABB, L&T, Polycab, Indoasian, Anchor Roma	
47.	Modular Plate 12 Way 220x90mm	150	ABB, L&T, Polycab, Indoasian, Anchor Roma	
48.	Modular Plate 8 Way 146x90mm	100	ABB, L&T, Polycab, Indoasian, Anchor Roma	

49.	Modular Plate 6 Way 118x90mm	150	ABB, L&T, Polycab, Indoasian, Anchor Roma	
50.	Modular Plate 4 Way 94x90mm	75	ABB, L&T, Polycab, Indoasian, Anchor Roma	
51.	Modular Plate 3 Way	175	ABB, L&T, Polycab, Indoasian, Anchor Roma	
52.	Modular Plate 2 Way	50	ABB, L&T, Polycab, Indoasian, Anchor Roma	
53.	Modular Plate 2x4 Way	15	ABB, L&T, Polycab, Indoasian, Anchor Roma	
54.	Modular Switch 6-10 Amp One Way Confirming to IS 3854 : 1997 (Updated as on date) Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°	125	Legrand (My Linc)	
55.	Modular Switch 16-25 Amp One Way Confirming to IS 3854 : 1997 (Updated as on date) Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°	150	Legrand (My Linc)	
56.	Modular Socket 6-10 Amp Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°,All sockets complies to IS1293-2005 (updated as on date)	150	Legrand (My Linc)	
57.	Modular Socket 16-25 Amp Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°	150	Legrand (My Linc)	
58.	Modular Bell Push Switch One Way	15	Legrand (My Linc)	
59.	Modular Blank Plate	250	Legrand (My Linc)	
60.	Modular fan Regulator Socket Type	125	Legrand (My Linc)	
61.	Modular fan Regulator switch Type	125	Legrand (My Linc)	
62.	Modular Data Socket	10	Legrand (My Linc)	
63.	Modular TV Socket	20	Legrand (My Linc)	
64.	Modular Telephone Socket	20	Legrand (My Linc)	
65.	Modular Switch 6-10 Amp One Way Confirming to IS 3854 : 1997 (Updated as on date) Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°	1880	Havel's (Coral)	
66.	Modular Switch 16-25 Amp One Way Confirming to IS 3854 : 1997 (Updated as on date) Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°	1800	Havel's (Coral)	

67.	Modular Socket 6-10 Amp Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°,All sockets complies to IS1293-2005 (updated as on date)	1650	Havel's (Coral)	
68.	Modular Socket 16-25 Amp Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°	1800	Havel's (Coral)	
69.	Modular Bell Push Switch One Way	25	Havel's (Coral)	
70.	Modular Blank Plate	1000	Havel's (Coral)	
71.	Modular fan Regulator Socket Type	100	Havel's (Coral)	
72.	Modular fan Regulator switch Type	100	Havel's (Coral)	
73.	Modular Data Socket	25	Havel's (Coral)	
74.	Modular TV Socket	25	Havel's (Coral)	
75.	Modular Telephone Socket	25	Havel's (Coral)	
76.	Modular Switch 6-10 Amp One Way Confirming to IS 3854 : 1997 (Updated as on date) Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°	500	ABB, L&T, Polycab, Indoasian, Anchor Roma.	
77.	Modular Switch 16-25 Amp One Way Confirming to IS 3854 : 1997 (Updated as on date) Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°	150	ABB, L&T, Polycab, Indoasian, Anchor Roma.	
78.	Modular Socket 6-10 Amp Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°, All sockets complies to IS1293-2005 (updated as on date)	200	ABB, L&T, Polycab, Indoasian, Anchor Roma.	
79.	Modular Socket 16-25 Amp Voltage rating: 240V s Nature of supply: 50Hz Ambient Operating Temp: -5° C to +60°	150	ABB, L&T, Polycab, Indoasian, Anchor Roma.	
80.	Modular Bell Push Switch One Way	25	ABB, L&T, Polycab, Indoasian, Anchor Roma.	
81.	Modular Blank Plate	250	ABB, L&T, Polycab, Indoasian, Anchor Roma.	
82.	Modular fan Regulator Socket Type	125	ABB, L&T, Polycab, Indoasian, Anchor Roma.	
83.	Modular fan Regulator switch Type	125	ABB, L&T, Polycab, Indoasian, Anchor Roma.	
84.	Modular Data Socket	25	ABB, L&T, Polycab, Indoasian,Anchor Roma.	

85.	Modular TV Socket	25	ABB, L&T, Polycab, Indoasian, Anchor Roma.
86.	Modular Telephone Socket	25	ABB, L&T, Polycab, Indoasian,Anchor Roma.

Notwithstanding anything mentioned in our price bid, we hereby accept all the terms & conditions mentioned in the RFIQ which are being signed in token of my acceptance. We hereby undertake and confirm that I / we have understood the specifications properly and shall supply the material as per the required / higher specifications to SMVDSB.

I further affirm that in case, I fail to abide-by the conditions or upto the entire satisfaction of the Shrine Board; I shall be liable to the penalties under rules. I further hereby declare that my firm is not blacklisted.

Seal & Signature _____

M/s _____

Contact Person: _____

Contact Number: _____

E-mail ID: _____