

Office of the Chief Executive Officer Shri Mata Vaishno Devi Shrine Board, Katra

No.CO/Pur/Civil/2024/238-I/3994 Dated: 30.11.2024

REQUEST FOR INVITING QUOTATION

Sealed quotations (on the letter head of the firm) are invited from reputed manufacturers / distributors / dealers / suppliers for furnishing / finalizing the rates in respect of the Misc. Civil Material mentioned in the Annexure for a period of 06 months, further extendable upto another 06 months, subject to satisfactory supply of the material and approval of the competent authority.

Description of Material	EMD in the shape of CDR/FDR/TDR
Misc. Civil Material as mentioned	Rs. 20,000/- (Rupees Twenty Thousand
in the enclosed Annexure.	only) pledged to FA/CAO, SMVDSB, Katra.

Prospective bidders are requested to kindly send their quotation along with relevant documents for the supply of the same giving full details in sealed cover viz. **Net price (inclusive of GST / taxes, unloading and F.O.R. Engineering Store, Banganga, Katra)**, payment terms, delivery schedule and other conditions of sale **including special discount to SMVDSB**.

Sealed quotations addressed to <u>Asstt. CEO (VB), Shri Mata Vaishno Devi Shrine Board, Central Office, Katra</u> should reach through Speed Post / Registered Post / reputed courier or be personally handed over to the Purchase Section on or before 12.12.2024 upto 02:00PM positively. The quotations received shall be opened on the same day or any other convenient day in presence of representative of the firm who choose to remain present on the occasion.

Following particulars must be mentioned on the envelope containing your quotation: -

RFIQ -Misc. Civil Material
NOT TO BE OPENED BEFORE 12.12.2024 upto 02:00PM
RFIQ No: CO/Pur/Civil/2024/238-I/3994 dated: 30.11.2024

Terms and Conditions:

- 1. This is just a RFIQ and not a Purchase Order.
- 2. Donations to Shri Mata Vaishno Devi Shrine Board, Katra are exempted from Income Tax under Section 80-G of the Income Tax Act.
- 3. Rates should be Net inclusive of all taxes, having special discount to SMVDSB and the same shall be delivered at Engg. Store, Banganga, Katra within the time period mentioned in the subsequent purchase order.
- 4. Prospective bidders are requested to send their sealed quotations by or before 12.12.2024 upto 02:00 PM, quotations after due date and time shall not be accepted.
- 5. The rates shall remain valid for a period of Six (06) months from the date of issuance of Rate Approval Order and further extendable upto another 06 months, subject to satisfactory supply of the material and approval of the competent authority.
- 6. The prospective bidder shall have to submit the authorized manufacturer / distributor / dealer certificate (if any) along with the quotation.
- 7. The participating firm shall have to deposit the EMD in the shape of CDR/FDR/TDR pledged to FA/CAO, SMVDSB, Katra amounting to Rs. 20,000/- (Rupees Twenty Thousand only) having validity of at least 01 year without which the offer submitted by the participating firm shall not be considered.
- 8. It is notified that any participating firm fail to submit / enclose the EMD (CDR/FDR/TDR) of stipulated amount or of amount less than the stipulated amount, as mentioned above, the quotation submitted by the firm shall be rejected out rightly and the rates of the said firm shall not be considered even after opening of quotation.

Seal & Signature of the bidder

- 9. Furnishing of EMD for an amount less than the stipulated amount mentioned in the RFIQ quoting the exemption as Small Scale Industries or any other reason shall not be entertained and the quotation / offer submitted by the firm shall be rejected out-rightly.
- 10. The Earnest money of the Successful bidder(s) shall be converted into Security deposit which shall be valid during the Rate Contract Period whereas the EMD's of the unsuccessful bidders shall be released after the allotment of Rate Contract Order in favour of the successful firm(s).
- 11. No extra payment shall be made to the firm on account of the escalation in the material cost, transportation / labour charges during the period of contract.
- 12. THE RATES SHOULD STRICTLY BE QUOTED ON THE LETTER HEAD AS PER THE SPECIFICATION / UOM / REQUIREMENT OF SMVDSB. ANY DEVIATION FROM THE SAME SHALL TANTAMOUNT TO REJECTION OF THE OFFER / RATES QUOTED.
- 13. The participating firms are advised to quote NET rates (inclusive of all taxes/GST, Unloading and FOR Engineering Store, Banganga, Katra. (Rates excluding GST and Ex-Shop shall not be considered even after opening of the quotation).
- 14. Kindly quote your rates as per the "UOM (unit of measurement)", requirement & specification of the Shrine Board.
- 15. The material to be supplied should be from the brands / make / specifications mentioned in the RFIQ, where ever applicable. No change in the Brand / Make shall be accepted. Any change in the Brand / Make shall out rightly be rejected.
- 16. The supplier has to mention the price of the material, CGST & SGST separately, while raising the bills of supplies.
- 17. The supplier shall have to mention the GST No. (01AAETS9822J1ZC) of SMVDSB while raising their bill of supplies. While filling GSTR-I, the supplier shall classify the supply / service made to Shrine Board under Business to Business (B to B) Sales. The successful bidder shall also mention six-digit HSN code of the material to be supplied. In case the successful bidder doesn't upload / mention the bill under B to B, the GST amount levied in the bill shall not be paid.
- 18. The supplier shall file GSTR1 and 3B within the due dates prescribed under the CGST / SGST ACT 2017 so as to enable SMVDSB to claim timely input credit. In case of default, Interest @ 2% per-month of tax amount shall be charged and recovered from the defaulting supplier.
- 19. In case the successful bidder is filling GST return on quarterly basis, they must file the Invoice Furnishing Facility (IFF) on monthly basis for Bills to Shrine Board.
- 20. No Advance payment shall be made. The payment shall be released through Accounts Section, SMVDSB after receipt of GR, Invoice and requisite documents in the concerned section.

21. INSPECTION / LIFTING BACK OF REJECTED SUPPLIES:

- a. On receipt, the material shall be inspected / checked by our Inspection Committee and if found of inferior quality/defective, the same will be rejected and the Board shall be at liberty to have the same procured from open market at the risk & cost of the supplier whereby the original supplier shall be liable to pay the extra cost, if any, involved in the process. The Competent Authority, however, may accept the replaced material within the delivery period if it conforms to the approved specifications.
- b. Random samples shall be tested from any consignment/ lot by the Shrine Board & if found of inferior quality or not as per the specification mentioned in the Supply Order, the same will be rejected and the firm has to lift the rejected material at their own risk and cost.
- c. The rejected material shall have to be lifted by the supplier at his own risk and cost within a week's time falling which storage charges @2% per day of the total value of the rejected supplied as may be deem fit to the authority shall be levied.
- d. Beyond one month the material shall be auctioned without any communication and storage charges @2% per day of the total value of the Purchase /Supply Order shall be deducted from any pending payment of the supplier.

22. **Penalty**:

- a. In case the material is not delivered within the delivery period, the supplier is liable to penalty for the delay **i.e. i)** upto 07 days @ 0.5% **ii)** from 8th day upto 15th day @ 1% **iii)** from 16th day upto 22nd day @ 1.5% and **iv)** from 23rd day to 30th day @ 2% shall be imposed on each pending item as per the approved rate/quantity mention in the PO of the value of the pending supplies.
- b. In case of incomplete supply, an amount equal to 2% of the non-supplied material shall be deducted from any pending payment of the supplier.

23. Debarring

If the successful firm fails to comply with the terms and conditions of the RFIQ after successful culmination of the RFIQ and placing of Purchase Order, the firm shall be debarred from further dealing with SMVDSB for a continuous period of 03 years and the stipulated EMD of the firm shall be forfeited

- 24. SMVDSB reserves the right to reject, accept or prefer any quotation in part or full without assigning any reason whatsoever at any stage. Shrine Board also reserves the right to re-invite the quotations at its sole discretion.
- 25. Shrine Board Reserves the right to cancel the RFIQ without any prior notice.
- 26. SMVDSB reserves the right to negotiate the quoted rates, terms and conditions with the lowest bidder or any of the other bidder on quality basis to ascertain the suitability of the acceptable offer.
- 27. SMVDSB reserves the right to procure the material on Quality Basis.
- 28. SMVDSB reserves the right to split the demand among two or more firms on approved rates.
- 29. Standard Terms and Conditions shall also be incorporated in the PO to be issued in favour of the successful bidder/firm.
- 30. Conditional, illegible, ambiguous quotation(s) and quotation(s) received after the stipulated date and time shall be out rightly rejected.

Sd/-(Vipan Bhagat) JKAS Asstt. Chief Executive Officer

Seal & Signature of the bidder

*Please read content, terms & conditions carefully before submitting the quotation

Annexure to this office RFIQ issued under endorsement no: CO/Pur/Civil/2024/238-I/3994 dated: 30.11.2024:

S. No.	Description of Items	Req. Brand		
1.	Crow Bar			
2.	Pick Axes with Handle	TATA		
3.	Shovels with Handle			
4.	Wood Adhesive: (Capacity : 1 Kg pack)	Pidilite, Fevicol, Araldite		
5.	Pipe Wrench (any size as per SB Requirement)	Taparia, JCB, Venus, TATA		
6.	Welding Rod having 50-100 rods per pkt. (ISI marked)	Spac / Spark / Champion / Alloy / Ador / Suzuki Alloy		
7.	Brass Check Valve ½"			
8.	Brass Check Valve 3/4"	Cont Zoloto		
9.	Brass Check Valve 1"	Sant, Zoloto,		
10.	Brass Check Valve 1-1/2"	DRP, Kirloskar,		
11.	Brass Check Valve 1-1/4"	Kranti, Leader		
12.	Brass Check Valve 2"	1		
13.	Brass Check Valve 3"	1		
14.	Ultra Flex PVC Garden Pipe 3/4" (Length: 80ft – 100ft. approx.)	Vectus.		
15.	Ultra Flex PVC Garden Pipe 1" (Length: 80ft – 100ft. approx.)	Finolex, APL		
16.	Ultra Flex PVC Garden Pipe 1–½" (Length: 80ft – 100ft.	Apollo,		
10.	approx.)	Supreme,		
	αρρισχί	Plasto, Star.		
17.	PVC Cistern Kit Bag / Duel Flush Kit for PVC Cistern	Heavy Duty material		
18.	PVC Cistern Handle	of Superior Quality		
19.	PVC Cistern Low Level			
20.	Jet Spray with Heavy Duty S.S Flexible Hose Pipe and Heavy	Essco /		
	Patti for EWC Seat	Hindware /		
21.	Toilet Health Faucet Set With Hose Pipe (Tube) and Wall Hook (complete)	Cera / Parryware / Jaquar /		
22.	CP Shower with Arm (standard size)	Kerovit / Parko.		
23.	Ratchet Die Set with 1", ¾" & ½" Gutka	Taparia, Metro, Foreman, Inder		
24.	CI / MS Man Hole Cover with frame. Size: 12" x 12" (ISI Mark).	LIE Daiai		
25.	CI / MS Man Hole Cover with frame. Size: 18" x 18" (ISI Mark).	HIF, Bajaj,		
26.	CI / MS Man Hole Cover with frame. Size: 24" x 18" (ISI Mark).	RIF,Kwality,		
27.	CI / MS Man Hole Cover with frame. Size: 24" x 24" (ISI Mark).	Smico, Nishan, Eagle, VIJ, QC,		
28.	CI / MS Man Hole Cover with frame. Size: 24" x 30" (ISI Mark).	VIP		
29.	Looking Mirror with frame. Size: 1-1/2 ft. x 2 ft.	Glass Brand: Modiguard / Saint Gobain / Gold / Gold Plus		
30.	Telescopic Sliding channels for Drawer (any size or length as per SB requirement)	Hettich, Godrej		
31.	Hydraulic Door Closer			
32.	Measurement Tape (Steel) 10 -15 mtrs.	_		
33.	Measuring Tape (Fiberglass) 100 mtrs.	Freeman		
34.	Measuring Tape (Fiberglass) 30 mtrs.			
35.	Mica Sheet – 8'x4' (1mm thickness) (of any shade, colour and	Century, Merino, Greenlam, Sunmica		
size as per requirement)				

36.	Mica Sheet - 8'x4' (0.8 mm thickness) (of any shade, colour and size as per requirement)	Century, Merino, Greenlam, Sunmica
37.	CP Nipple ½" x ½"	
38.	CP Nipple ½" x 1"	
39.	CP Nipple ½" x 1½"	
40.		-
	CP Nipple ½" x 2"	_
41.	CP Nipple ½" x 3"	_
42.	CP Nipple ½" x 4"	_
43.	CP Nipple ³ / ₄ " x 2"	
44.	CP Nipple ³ ⁄ ₄ " x 3"	
45.	CP Hex Nipple ½"	
46.	MS Sliding Bolt / Aldrop with Nut Bolt Size: 4"Locking Bolt: 4"	
47.	MS Sliding Bolt / Aldrop with Nut Bolt Size: 6" Locking Bolt: 6"	Superior
48.	MS Sliding Bolt / Aldrop with Nut Bolt Size: 8" Locking Bolt: 8"	Quality / Heavy
49.	MS Sliding Bolt / Aldrop with Nut Bolt Size: 10" Locking Bolt: 10"	Duty
50.	MS Sliding Bolt / Aldrop with Nut Bolt Size: 12" Locking Bolt: 12"	
51.	Iron Bib Cock (any size as per SB requirement)	
52.	Brass Bib Cock (any size as per SB requirement)	
53.	MS Binding Wire	
54.	Aluminum Handle "D shaped" with Screw and Nuts.Size:4"	
55.	Aluminum Handle "D shaped" with Screw and Nuts Size:6"	
56.	Aluminum Handle "D shaped" with Screw and Nuts.Size:8"	
57.	Iron Handle (D Shape) for welding on the doors & windows (any size as per SB requirement)	
58.	Double Side Hacksaw Blade	
59.	Hacksaw Frame	1
60.	MS Hinges ISI, Size: 3".	1
61.	MS Hinges ISI, Size: 4".	
62.	MS Hinges ISI, Size: 5".	
63.	MS Hinges ISI, Size: 6".	1
64.	MS Hinges ISI, Size: ½" x ¾" x 3".	1
65.	Stainless Steel Self Closing Door Hinge (Thickness: 2 - 10	
00.	mm)	
66.	MS Double Action Door Hinge. Size: 4" / 100mm	-
67.	Hydraulic Hinge (Dadu Hinge) (any size as per SB	Superior
07.	requirement)	Quality, Heavy
68.	J-Hooks 4" with Nuts and washer	Duty
69.	MS Iron Locking Bolt	Duty
	Nails Size: 1" No. 12	
70.		-
71.	Nails Size: 1" No. 14	-
72.	Nails Size: 1" No. 17	-
73.	Nails Size: 1" (Headless)	-
74.	Nails Size: 1–½" (Headless)	4
75.	Nails Size: 1–½", No: 12	_
<u>76.</u>	Nails Size: 1–½", No: 14	_
77.	Nails Size: 1–½", No: 17	_
78.	Nails Size: 2" (Headless)	
79.	Nails Size: 2", No: 12	

		1
80.	Nails Size: 2" No: 14	
81.	Nails Size: 2" No: 17	
82.	Nails Size: 2–½", No: 14	
83.	Nails Size: 3"	
84.	Nails Size: 3", No: 14	
85.	Nails Size: ¾", Headless, No: 20	
86.	Nails Size: 4"	
87.	Nails Size: 5"	
88.	Iron Silver Tasla 14"	
89.	S.S. Curtain Rod 20 feet long (Dia – 1 inch)	
90.	S.S. Curtain Support Rod Brackets (End Bracket for 1 inch	Superior
01	Rod)	Quality, Heavy
91.	S.S. Curtain Support Rod Brackets	Duty
00	(Wall to Wall for U shape 1 inch Rod)	_
92.	Brass Concealed Face	_
93.	Safeda – 1 kg packing	
0.4	(with minimum packing of 250 gm / 500 gm pkts.)	
94.	Screw ½" for Civil Work (100pc per pkt)	
95.	Screw 1" for Civil Work (100pc per pkt)	
96.	Screw 1", 25/6 for Civil Work (100pc per pkt)	
97.	Screw 1–½" for Civil Work (100pc per pkt)	
98.	Screw 1–½", 35/8 for Civil Work (100pc pkt)	
99.	Screw 3/4" for Civil Work (100pc per pkt)	
100.	Screw 3/4", 20/5 for Civil Work (100pc per pkt)	
101.	Screw 2" for Civil Work (100pc per pkt)	
102.	Screw 2–½" for Civil Work (100pc per pkt)	
103.	Screw 3" for Civil Work (100pc per pkt)	
104.	Screw 4" for Civil Work (100pc per pkt)	
105.	Screw 1 – $\frac{1}{4}$ ", 30/7 for Civil Work (100 pc per pkt)	
106.	Iron Tower Bolt 4" (Heavy Rod)	
107.	Iron Tower Bolt 6" (Heavy Rod)	
108.	Iron Tower Bolt 8" (Heavy Rod)	
109.	Iron Tower Bolt 10" (Heavy Rod)	
110.	Aluminum Tower Bolt 4" (Heavy Rod)	Superior
111.	Aluminum Tower Bolt 6" (Heavy Rod)	Quality, Heavy
112.	Aluminum Tower Bolt 8" (Heavy Rod)	Duty
113.	Aluminum Tower Bolt 10" (Heavy Rod)	
114.	S.S. Wire Mesh (Jalli) 3ft wide for Doors & Windows.	
	Material Grade: SS 201 – 202.	
	Min. weight 12 Kg to 16 Kg (approx.)	
	Min. Length – 45 to 50 ft per roll	
115.	Welding <i>Electrode</i> Holder	
116.	Welding Lead	
117.	Brass Ball Valve ½"	
118.	Brass Ball Valve 3/4"	
119.	Brass Ball Valve 1"	
120.	Brass Ball Valve 1–½"	
121.	Brass Ball Valve 2"	
122.	Brass Ball Valve 2–½"	
123.	Brass Ball Valve 3"	
124.	Brass Ball Valve 4"	
125.	PVC Waste Pipe 1– ½"	
126.	PVC Waste Pipe 1–1/4"	
120.	1 + C + + 4 (10 1 1 /4	l

		1
127.	PVC Stainless Steel Connection Pipe. Size: ½" x 24"	
128.	PVC Stainless Steel Connection Pipe. Size: ½" x 18"	
129.	Brass Disk face for Bib Cock (any size as per SB	
	requirement)	
130.	Half turn face for bib cock	
131.	Brass Float Valve for Cistern (Complete)	
	(Standard / Universal Size)	
132.	Brass Float Valve for one piece seat (Complete)	
	(Standard / Universal Size)	
133.	PVC Seat Cover (White) (Universal Size)	
134.	PVC Seat Cover for One Pc Seat (White) (Universal Size)	
135.	CI Push Cock 15mm	
136.	Grout Powder (any colour / shade as per requirement)	
137.	Hammer with handle (500 grm. approx.)	
138.	Hammer with handle (1 kg. approx.)	
139.	Hammer with handle (2 kg. approx.)	
140.	Hammer with handle (5 kg. approx.)	
141.	Geyser Fasteners = 4 inches	
	×-	
	The same of the sa	
		Superior
		Superior Quality, Heavy
1.40	MC Cordon Digging Fork with Handle	Duty
142.	MS Garden Digging Fork with Handle Iron Masson Kandi	— Buty
143. 144.	Tassi	
144.	Wood Tokra / Basket	
	Sutter Golla (White Thread for Plumbing)	
146.	(Approx. 900 gm per pkt i.e. 65 pcs. of 15 gm each per	
	pkt.)	
147.	Shapra Kunda	
148.	Spade with handle	
149.	Iron Door Spring	
150.	Sickle (Desi) - Agricultural tool	
151.	Hedge Shear (Scissor Big size)	
152.	Khurpa (Desi) – Gardening Tool	
153.	Rubber and Stainless Steel Door Stopper(any size or any	
	design as per requirement)	
154.	SS Magnetic Catcher (any size or any design as per	
	requirement)	
155.	M-Seal 100 gm (regular epoxy compound)	
156.	PVC Gatti (Standard Size) (100 pc per pkt.)	
157.	Syphon Kit for one piece seat (complete)	
	, , , ,	
158.	Concertina Wire (450 mm dia)	
158.	Material: GI, Dia of Wire: 2.5 mm, Coil Dia: 450mm, Coil	
158.		

159.	Brass Ball Cock Complete	
160.	Push Button 11/4" (for Cistern)	
161.	Push Button 1 ½" (for cistern one piece)	
162.	Push Button 2" (for cistern one piece)	
163.	Brass Face for Bib Cock / Tap (Universal Size)	
164.	Ball Valve 1¼" (32mm)	
165.	Iron Axe	
166.	Iron Desi Darat	
167.	Iron Hatchet	Superior
168.	Wooden Beeding / Beat Gola Size: 3/4"	Quality, Heavy
169.	Galvanized Black Self Drilling Screws (any Size as per SB	Duty
	Requirement)	2 0.1.9
170	(Pack of 50 - 100 pc. approx.)	
170.	Self Threaded Screw with Steel Washer (any Size as per SB	
171.	Requirement)(Pack of 50 - 100 pc. approx.)	
	PVC Long Bend (Standard size)	
172.	PVC Short Bend (Standard size)	
173.	PVC Collar Bend 6"	
174.	Patti Clamp 6" (for PVC pipe)	
175.	Sunmica Tape (for fixing mica) (Standard Size)	
176.	Stainless Steel Soap Dish	
177.	PVC Door Bend 4"	
178.	PVC Plain Bend 4"	
179.	PVC Socket 4"	
180.	Stainless Steel Lid / Cover for 1000 ltr. capacity water tanks	
181.	Stainless Steel Lid / Cover for 2000 ltr. capacity water tanks	
182.	Stainless Steel Lid / Cover for 5000 ltr. capacity water tanks	
183.	Chain Link Fencing	
	Size: 50x50x4mm (6ft width x 24 ft length with twisted ends –	
404	Black Annealed) Weight of each roll is 60 Kg approx.	
184.	Barbed Wire (GI)	
	{Length: Minimum 8 mtrs per 1 kg.) Centre Wire Thickness: Minimum 2.25 mm (12 gauge)	
	Barb Thickness : Minimum 2mm}	
185.	Rubber Gloves for civil works	
186.	Patti Clamp 4" (for PVC Pipe)	Superior Quality,
	· · · /	Heavy Duty
187.	CP Angle valve (size as per requirement)	Parko / Jaquar / Marc / Cera / Czar /
188.	Two in One Angle Valve	Ess
		Ess/Hindware/Kerov
		it / Parryware/ Essco
400	Ctool Cuttor Diodo 14"	
189.	Steel Cutter Blade 14"	
190.	Marble / Tile Cutter Blade 4 "	
191.	Steel Cutter Blade 4 "	Bosch
192.	Wood Cutter Blade 4 "	D03011
193.	Steel Cutter (Heavy Duty)	
194.	Steel Cutter Blade 4" for cutting Locks	
195.	Welding Set with Mosfet 3 PCV Cards	MBI / Champion
196.	Wood / Hammer Drill Bits	Superior Quality
	(any size as per SB requirement)	
197.	Drill Machine Hammer with Bit for installation of Geysers &	Bosch
	other allied works	

198.	Brass Face for Bid cock / Tap (Universal Size)	
199.	GI Barbed Wire 12x12, Wire Diameter: 2.5mm Wire Thickness (2 Strand wires): 2.5 mm (12SWG) Barb Spacing: 3 to 5 inches Length Per KG: 6 Meter /20 Feet Approx Bundle Weight: 25 to 30 KG Length per bundle: Approx 168 Mtr / 550 Feet	Superior Quality
200.	Epoxy Paste Form (any colour as per requirement)	Laticrete, Roff, Ferrous Crete and
201.	Adhesive for Tiles (any colour as per requirement)	Magnify
202.	CI Gate Valve – ½" dia	
203.	CI Gate Valve – ¾ dia	
204.	CI Gate Valve – 1" dia	
205.	CI Gate Valve – 1–¼" dia	Cupariar
206.	CI Gate Valve – 1–½" dia	SuperiorQuality / Heavy
207.	CI Gate Valve – 2" dia	Duty
208.	CI Gate Valve – 2–½" dia	Duty
209.	CI Gate Valve – 3" dia	
210.	CI Gate Valve – 3–½" dia	
211.	CI Gate Valve – 4" dia	
212.	CI Gate Valve – 6" dia	

Sd/-(Vipan Bhagat) JKAS Asstt. Chief Executive Officer

Seal & Signature of the bidder

PRICE BID (on the letter head of the firm)

To,

The Asstt. Chief Executive Officer (VB) Shri Mata Vaishno Devi Shrine Board

Katra.

Subject: Quotation for Supply of Misc. Civil Material

Ref. No.: RFIQ no: CO/Pur/Civil/2024/238/3994 Dated: 30.11.2024

Sir,											
I,					repres	entativ	ve	/	propri	etor	from
M/s					here	e by	submit	the	following	rates	for the
supply of	material	as per	the spe	ecification	/ UOM /	<u>require</u>	ement	of Sh	rine Boar	<u>'d</u> , NET	Rates
(inclusive	of GS	T and	other	taxes /	charges,	unlo	oading)	F.O.F	R. Engin	eering	Store
Banganga	a, Katra:-	-									

S. No.	Description of Items	Req. Brand	Net rate inclusive of GST a FOR Es, Banganga, Katr	
1.	. Crow Bar		Pe	er pc
2.	Pick Axes with Handle	TATA	Per	r pc
3.	Shovels with Handle	_	Per	r pc
4.	Wood Adhesive: (Capacity : 1 Kg pack)	Pidilite, Fevicol, Araldite	Per	r Kg
5.	Pipe Wrench (any size as per SB Requirement)	Taparia, JCB, Venus, TATA	Per	r pc
6.	Welding Rod having 50-100 rods per pkt. (ISI marked)	Spac / Spark / Champion / Alloy / Ador / Suzuki Alloy	Per	r Pk
7.	Brass Check Valve ½"		Per	r pc
8.	Brass Check Valve ¾"	Sant, Zoloto,	Per	r pc
9.	Brass Check Valve 1"	DRP,	Per	r pc
10.	Brass Check Valve 1-1/2"	Kirloskar, Kranti,	Per	r pc
11.	Brass Check Valve 1-1/4"	Leader	Per	r pc
12.	Brass Check Valve 2"	1	Per	r pc
13.	Brass Check Valve 3"		Per	r pc
14.	Ultra Flex PVC Garden Pipe ¾" (Length: 80ft – 100ft. approx.)	Vectus, Finolex, APL	Per	r rol
15.	Ultra Flex PVC Garden Pipe 1" (Length: 80ft – 100ft. approx.)	Apollo, Supreme,	Per	r rol
16.	Ultra Flex PVC Garden Pipe 1–½" (Length: 80ft – 100ft. approx.)	Plasto, Star.	Per	r rol
17.	PVC Cistern Kit Bag / Duel Flush Kit for PVC Cistern	Heavy Duty material of	Per	r pc
18.	PVC Cistern Handle	Superior Quality	Per	r pc
19.	PVC Cistern Low Level	Essco / Hindware / Cera / Parryware /	Per	r pc
20.	Jet Spray with Heavy Duty S.S Flexible Hose Pipe and Heavy Patti for EWC Seat	Jaquar / Kerovit / Parko	Per	r pc
21.	Toilet Health Faucet Set With Hose Pipe (Tube) and Wall Hook (complete)]	Per	r pc

22.	CP Shower with Arm (standard size)	Essco / Hindware / Cera / Parryware / Jaquar / Kerovit / Parko.	Per pc
23.	Ratchet Die Set with 1", 3/4" & 1/2" Gutka	Taparia, Metro, Foreman, Inder	Per pc
24.	CI / MS Man Hole Cover with frame. Size: 12" x 12" (ISI Mark).		Per pc
25.	CI / MS Man Hole Cover with frame. Size: 18" x 18" (ISI Mark).	HIF, Bajaj,	Per pc
26.	CI / MS Man Hole Cover with frame. Size: 24" x 18" (ISI Mark).	RIF,Kwality, — Smico, Nishan, —	Per pc
27.	CI / MS Man Hole Cover with frame. Size: 24" x 24" (ISI Mark).	Eagle, VIJ,	Per pc
28.	CI / MS Man Hole Cover with frame. Size: 24" x 30" (ISI Mark).	QC, VIP	Per pc
29.	Looking Mirror with frame. Size: 1-1/2 ft. x 2 ft.	Glass Brand: Modiguard / Saint Gobain / Gold / Gold Plus	Per pc
30.	Telescopic Sliding channels for Drawer (any size or length as per SB requirement)	Hettich, Godrej	Per pc
31.	Hydraulic Door Closer		Per Length
32.	Measurement Tape (Steel) 10 -15 mtrs.		Per pc
33.	Measuring Tape (Fiberglass) 100 mtrs.	Freeman	Per pc
34.	Measuring Tape (Fiberglass) 30 mtrs.		Per pc
35.	Mica Sheet – 8'x4' (1mm thickness) (of any shade, colour and size as per requirement)	Century, Merino,	Per pc
36.	Mica Sheet - 8'x4' (0.8 mm thickness) (of any shade, colour and size as per requirement)	Greenlam, Sunmica	Per pc
37.	CP Nipple ½" x ½"		Per pc
38.	CP Nipple ½" x 1"		Per pc
39.	CP Nipple ½" x 1½"		Per pc
40.	CP Nipple ½" x 2"		Per pc
41.	CP Nipple ½" x 3"		Per pc
42.	CP Nipple ½" x 4"	Superior — Quality /	Per pc
43.	CP Nipple ¾" x 2"	Heavy Duty	Per pc
44.	CP Nipple ¾" x 3"		Per pc
45.	CP Hex Nipple ½"	-	Per pc
46.	MS Sliding Bolt / Aldrop with Nut Bolt Size: 4"Locking Bolt: 4"		Per pc
47.	MS Sliding Bolt / Aldrop with Nut Bolt Size: 6" Locking Bolt: 6"		Per pc
48.	MS Sliding Bolt / Aldrop with Nut Bolt Size: 8" Locking Bolt: 8"		Per pc

Locking Bolt: 10" MS Sliding Bolt / Aldrop with Nut Bolt Size: 12"		
MS Sliding Rolt / Aldron with Nut Rolt Size: 12"		
Locking Bolt: 12"		Per pc
Iron Bib Cock (any size as per SB requirement)	Superior	Per pc
Brass Bib Cock (any size as per SB requirement)		Per pc
MS Binding Wire		Per kg
Aluminum Handle "D shaped" with Screw and Nuts.Size:4"		Per pc
Aluminum Handle "D shaped" with Screw and Nuts Size:6"		Per pc
Aluminum Handle "D shaped" with Screw and Nuts.Size:8"		Per pc
Iron Handle (D Shape) for welding on the doors & windows		Per pc
Double Side Hacksaw Blade		Per pc
Hacksaw Frame		Per pc
MS Hinges ISI, Size: 3".		Per pc
MS Hinges ISI, Size: 4".		Per pc
MS Hinges ISI, Size: 5".		Per pc
MS Hinges ISI, Size: 6".		Per pc
MS Hinges ISI, Size: ½" x ¾" x 3".	Superior	Per pc
Stainless Steel Self Closing Door Hinge (Thickness: 2 - 10 mm)	Heavy Duty	Per pc
MS Double Action Door Hinge. Size: 4" / 100mm		Per pc
Hydraulic Hinge (Dadu Hinge) (any size as per SB requirement)		Per pc
J-Hooks 4" with Nuts and washer		Per Kg
MS Iron Locking Bolt		Per pc
Nails Size: 1" No. 12		Per Kg
Nails Size: 1" No. 14		Per Kg
Nails Size: 1" No. 17		Per Kg
Nails Size: 1" (Headless)		Per Kg
		Per Kg
		Per Kg
,		Per Kg
		Per Kg
·		Per Kg
		Per Kg
·		Per Kg
		Per Kg
144113 0126. /4 , 1 16441633, 140. 20		· ·
Nails Size: 4"		Per Kg
	Iron Bib Cock (any size as per SB requirement) Brass Bib Cock (any size as per SB requirement) MS Binding Wire Aluminum Handle "D shaped" with Screw and Nuts.Size:4" Aluminum Handle "D shaped" with Screw and Nuts Size:6" Aluminum Handle "D shaped" with Screw and Nuts.Size:8" Iron Handle (D Shape) for welding on the doors & windows (any size as per SB requirement) Double Side Hacksaw Blade Hacksaw Frame MS Hinges ISI, Size: 3". MS Hinges ISI, Size: 4". MS Hinges ISI, Size: 5". MS Hinges ISI, Size: 6". Stainless Steel Self Closing Door Hinge (Thickness: 2 - 10 mm) MS Double Action Door Hinge. Size: 4" / 100mm Hydraulic Hinge (Dadu Hinge) (any size as per SB requirement) J-Hooks 4" with Nuts and washer MS Iron Locking Bolt Nails Size: 1" No. 12 Nails Size: 1" No. 14	Iron Bib Cock (any size as per SB requirement) Brass Bib Cock (any size as per SB requirement) MS Binding Wire Aluminum Handle "D shaped" with Screw and Nuts. Size:4" Aluminum Handle "D shaped" with Screw and Nuts. Size:6" Aluminum Handle "D shaped" with Screw and Nuts. Size:8" Aluminum Handle "D shaped" with Screw and Nuts. Size:8" Aluminum Handle (D Shape) for welding on the doors & windows (any size as per SB requirement) Double Side Hacksaw Blade Hacksaw Frame MS Hinges ISI, Size: 3". MS Hinges ISI, Size: 4". MS Hinges ISI, Size: 5". MS Hinges ISI, Size: 6". MS Hinges ISI, Size: 6". MS Hinges ISI, Size: 6". MS Hinges ISI, Size: 4" x 3". Stainless Steel Self Closing Door Hinge (Thickness: 2 - 10 mm) MS Double Action Door Hinge. Size: 4" / 100mm Hydraulic Hinge (Dadu Hinge) (any size as per SB requirement) J-Hocks 4" with Nuts and washer MS Iron Locking Bolt Nails Size: 1" No. 12 Nails Size: 1" No. 14 Nails Size: 1" No. 17 Nails Size: 1"-½", No: 14 Nails Size: 1"-½", No: 14 Nails Size: 2" (Headless) Nails Size: 2" (Headless) Nails Size: 2" (Headless) Nails Size: 2" No: 14 Nails Size: 2" No: 17 Nails Size: 2" No: 12 Nails Size: 2" No: 14 Nails Size: 2" No: 17 Nails Size: 2" No: 17 Nails Size: 2" No: 14 Nails Size: 2" No: 17 Nails Size: 2" No: 14 Nails Size: 2" No: 17 Nails Size: 2" No: 17 Nails Size: 2" No: 17 Nails Size: 2" No: 14 Nails Size: 3", No: 14

88.	Iron Silver Tasla 14"		Per pc
89.	S.S. Curtain Rod 20 feet long (Dia – 1 inch)		Per
	,		length
90.	S.S. Curtain Support Rod Brackets (End Bracket for 1 inch Rod)		Per length
91.	S.S. Curtain Support Rod Brackets		Per length
	(Wall to Wall for U shape 1 inch Rod)		
92.	Brass Concealed Face		Per pc Per pkt
93.	Safeda – 1 kg packing (with minimum packing of 250 gm / 500 gm pkts.)		P θ P N
94.	Screw ½" for Civil Work (100pc per pkt)	_	Per pkt
95.	Screw 1" for Civil Work (100pc per pkt)	+	Per pkt
96.	Screw 1", 25/6 for Civil Work (100pc per pkt)	-	Per pkt
97.	Screw 1–1/2" for Civil Work (100pc per pkt)	_	Per pkt
98.	Screw 1–½", 35/8 for Civil Work (100pc pkt)	+	Per pkt
99.	Screw 3/4" for Civil Work (100pc per pkt)	-	Per pkt
100.	Screw 3/4", 20/5 for Civil Work (100pc per pkt)	-	Per pkt
101.	Screw 2" for Civil Work (100pc per pkt)	Superior	Per pkt
102.	Screw 2–½" for Civil Work (100pc per pkt)	Quality, Heavy Duty	Per pkt
103.	Screw 3" for Civil Work (100pc per pkt)	- Heavy Duty	Per pkt
104.	Screw 4" for Civil Work (100pc per pkt)		Per pkt
	` ' ' '		Per pkt
105.	Screw 1 – $\frac{1}{4}$ ", 30/7 for Civil Work (100 pc per pkt)		l or pin
106.	Iron Tower Bolt 4" (Heavy Rod)		Per pc
107.	Iron Tower Bolt 6" (Heavy Rod)		Per pc
108.	Iron Tower Bolt 8" (Heavy Rod)		Per pc
109.	Iron Tower Bolt 10" (Heavy Rod)		Per pc
110.	Aluminum Tower Bolt 4" (Heavy Rod)		Per pc
111.	Aluminum Tower Bolt 6" (Heavy Rod)		Per pc
112.	Aluminum Tower Bolt 8" (Heavy Rod)		Per pc
113.	Aluminum Tower Bolt 10" (Heavy Rod)		Per pc
114.	S.S. Wire Mesh (Jalli) 3ft wide for Doors &		Per roll
	Windows.		
	Material Grade: SS 201 – 202.		
	Min. weight 12 Kg to 16 Kg (approx.)		
	Min. Length – 45 to 50 ft per roll	_	
115.	Welding Electrode Holder		Per pc
116.	Welding Lead		Per mtr.
117.	Brass Ball Valve ½"		Per pc
118.	Brass Ball Valve ¾"		Per pc
119.	Brass Ball Valve 1"		Per pc
120.	Brass Ball Valve 1-1/2"	Superior Quality /	Per pc
121.	Brass Ball Valve 2"	Heavy Duty	Per pc
122.	Brass Ball Valve 2–1/2"		Per pc

	Brass Ball Valve 3"		Per pc
123. 124.	Brass Ball Valve 4"		Per pc
			Per pc
125.	PVC Waste Pipe 1–½"		Per pc
126.	PVC Waste Pipe 1–1/4"		Per pc
127.	PVC Stainless Steel Connection Pipe. Size: 1/2" x 24"		
128.	PVC Stainless Steel Connection Pipe. Size: 1/2" x 18"		Per pc
129.	Brass Disk face for Bib Cock (any size as per SB requirement)		Per pc
130.	Half turn face for bib cock		Per pc
131.	Brass Float Valve for Cistern (Complete) (Standard / Universal Size)		Per pc
132.	Brass Float Valve for one piece seat (Complete) (Standard / Universal Size)	Superior Quality / Heavy Duty	Per pc
133.	PVC Seat Cover (White) (Universal Size)		Per pc
134.	PVC Seat Cover for One Pc Seat (White) (Universal Size)		Per pc
135.	CI Push Cock 15mm		Per pc
136.	Grout Powder (any colour / shade as per requirement)		Per kg
137.	Hammer with handle (500 grm. approx.)		Per pc
138.	Hammer with handle (1 kg. approx.)		Per pc
139.			Per pc
140.	Hammer with handle (2 kg. approx.)		Per pc
141.	Hammer with handle (5 kg. approx.) Geyser Fasteners = 4 inches		Per pc
142.	MS Garden Digging Fork with Handle		Per pc
143.	Iron Masson Kandi		Per pc
144.	Tassi		Per pc
145.	Wood Tokra / Basket		Per pc
146.	Sutter Golla (White Thread for Plumbing) (Approx. 900 gm per pkt i.e. 65 pcs. of 15 gm each per pkt.)		Per pkt
147.	Shapra Kunda		Per pc
147.	Spade with handle		Per pc
149.	Iron Door Spring		Per pc
150.	Sickle (Desi) - Agricultural tool		Per pc
150.	Hedge Shear (Scissor Big size)		Per pc
151.	Khurpa (Desi) – Gardening Tool		Per pc
152.	Rubber and Stainless Steel Door Stopper(any		Per pc
	. NUODEL AUG SIAINIESS SIEEL DOOL SIODDE((3NV 1		Ι Ι΄ οι ρο
153.	size or any design as per requirement) SS Magnetic Catcher (any size or any design		

455	M. Cool 400 cm (regular analysis areas and)		Per pkt
155.	M-Seal 100 gm (regular epoxy compound)		Per pkt
156.	PVC Gatti (Standard Size) (100 pc per pkt.)		Per pkt
157.	Syphon Kit for one piece seat (complete)		Per roll
158.	Concertina Wire (450 mm dia)		Ferron
	Material: GI, Dia of Wire: 2.5 mm, Coil Dia:		
	450mm, Coil Length: 06 mtr., Weight per Coil:		
	6.50 to 8.50 Kg. Blade Profile: BTO -10 {BTO:		
450	10, 6-7 Kg in 1 Roll}		Por no
159.	Brass Ball Cock Complete		Per pc
160.	Push Button 1¼" (for Cistern)		·
161.	Push Button 1 ½" (for cistern one piece)		Per pc
162.	Push Button 2" (for cistern one piece)		Per pc
163.	Brass Face for Bib Cock / Tap (Universal Size)		Per pc
164.	Ball Valve 11/4" (32mm)		Per pc
165.	Iron Axe		Per pc
166.	Iron Desi Darat		Per pc
167.	Iron Hatchet	Superior	Per pc
168.	Wooden Beeding / Beat Gola Size: 3/4"	Quality,	Per
169.	Galvanized Black Self Drilling Screws (any	Heavy Duty	length Per pkt
109.	Size as per SB Requirement)		, i
	(Pack of 50 – 100 pc. Approx.)		
170.	Self Threaded Screw with Steel Washer (any		Per pkt
170.	Size as per SB Requirement)(Pack of 50 -		'
	100 pc. approx.)		
171.	PVC Long Bend (Standard size)		Per pc
	, , , , , , , , , , , , , , , , , , , ,		Per pc
172.	PVC Short Bend (Standard size)		
173.	PVC Collar Bend 6"		Per pc
174.	Patti Clamp 6" (for PVC pipe)		Per pc
175.	Sunmica Tape (for fixing mica) (Standard		Per pc
	Size)		
176.	Stainless Steel Soap Dish		Per pc
177.	PVC Door Bend 4"		Per pc
178.	PVC Plain Bend 4"		Per pc
179.	PVC Socket 4"		Per pc
180.	Stainless Steel Lid / Cover for 1000 ltr.		Per pc
	capacity water tanks		
181.	Stainless Steel Lid / Cover for 2000 ltr.		Per pc
	capacity water tanks		
182.	Stainless Steel Lid / Cover for 5000 ltr.		Per pc
	capacity water tanks		
183.	Chain Link Fencing		Per
	Size: 50x50x4mm (6ft width x 24 ft length with		length
	twisted ends – Black Annealed) Weight of each roll is		
	60 Kg approx.	_	_
184.	Barbed Wire (GI)		Per length
	{Length: Minimum 8 mtrs per 1 kg.)		longui
	Centre Wire Thickness : Minimum 2.25 mm		
	(12 gauge) Barb Thickness : Minimum 2mm}		
185.	Rubber Gloves for civil works		Per pair
186.	Patti Clamp 4" (for PVC Pipe)	Superior Quality, Heavy Duty	Per pc

187.	CP Angle valve (size as per requirement)	Parko / Jaquar /	Per pc
		Marc / Cera / Czar	
400	Tues in One Angele Webse	/ Ess Ess/Hindware/Ker	Per pc
188.	Two in One Angle Valve	ovit / Parryware/	l el pc
		Essco	
189.	Steel Cutter Blade 14"		Per pc
190.	Marble / Tile Cutter Blade 4 "		Per pc
191.	Steel Cutter Blade 4 "		Per pc
192.	Wood Cutter Blade 4 "	Bosch	Per pc
193.	Steel Cutter (Heavy Duty)		Per pc
194.	Steel Cutter Blade 4" for cutting Locks		Per pc
195.	Welding Set with Mosfet 3 PCV Cards	MBI / Champion	Per pc
196.	Wood / Hammer Drill Bits	Superior Quality	Per pc
	(any size as per SB requirement)		
197.	Drill Machine Hammer with Bit for installation	Bosch	Per pc
	of Geysers & other allied works		
198.	Brass Face for Bid cock / Tap (Universal		Per pc
400	Size)		
199.	GI Barbed Wire	Cupariar	Per
	12x12, Wire Diameter: 2.5mm Wire Thickness (2 Strand wires) : 2.5 mm	Superior Quality	bundle
	(12SWG)	Quality	
	Barb Spacing: 3 to 5 inches		
	Length Per KG :6 Meter /20 Feet		
	Approx Bundle Weight :25 to 30 KG		
	Length per bundle :Approx 168 Mtr / 550 Feet		
200.	Epoxy Paste Form (any colour as per	Laticrete, Roff, Ferrous Crete and	Per pkt
201.	requirement) Adhesive for Tiles (any colour as per	Magnify	Per pkt
201.	requirement)		
202.	CI Gate Valve – ½" dia		Per pc
202.	or data vario 1/2 did		
203.	CI Gate Valve – ¾" dia		Per pc
204.	CI Gate Valve – 1" dia	Superior	Per pc
205.	CI Gate Valve – 1–¼" dia	Quality /	Per pc
		Heavy Duty	·
206.	CI Gate Valve – 1–½" dia		Per pc
207.	CI Gate Valve – 2" dia		Per pc
208.	CI Gate Valve – 2–½" dia		Per pc
209.	CI Gate Valve – 3" dia		Per pc
210.	CI Gate Valve – 3–½" dia		Per pc
211.	CI Gate Valve – 4" dia		Per pc
212.	CI Gate Valve – 6" dia		Per pc

I affirm that the above quoted rates are inclusive of GST / other Taxes, unloading & F.O.R. Engg. Store, Banganga, Katra.

I further affirm that I have read and fully understood the RFIQ notice and agree to abide by all the terms and conditions laid therein, which are being signed in token of my acceptance. In case, I fail to abide-by the conditions or upto the entire satisfaction of the Shrine Board, I shall be liable to the penalties under rules. I further hereby declare that my firm is not blacklisted.

Yours sincerely,

Seal and Signature	Name of the firm:
Contact Person:	Contact No.:
E-mail:	Full Address of the firm: