



**OFFICE OF THE CHIEF EXECUTIVE OFFICER,
SHRI MATA VAISHNO DEVI SHRINE BOARD,**

Central Office, Ja.mmu Road, Katra (J&K) – 182301

E-mail: aceovb@maavaishnodevi.net, purchase_sec@maavaishnodevi.net

Request For Inviting Quotation (RFIQ)

RFIQ No. CO/Pur/Electronics/26/581/2416

Dated: 01.10.2026

For and on behalf of the Shri Mata Vaishno Devi Shrine Board, through Chief Executive Officer, Offers under **two (02) bids system** are invited from authorized distributors / dealers for supply of following IT items as per the Specifications, Brands / Makes mentioned in **Annexure "A"** :-

S. No.	Description of items	Qty. (in nos.)
1.	Smart LED Display 50 inches	3
2.	Smart LED Display 32 inches	1
3.	Smart LED Display 15 inches	1
4.	UHF Desktop Reader	2
5.	Eaton 1 KVA with 65 Ah with 3 Batteries	1
6.	Ahuja UB-30 Mixer Amplifier	2
7.	Ahuja PS-400TM PA Speaker	2
8.	Ahuja AGN-500 Gooseneck Microphone	1
9.	UTP CAT -6 Cable	1 roll
10.	RJ-45 LAN Connector	20 pc.
11.	Net gear PoE+ 8-Port: GS108LP	1

The RFIQ consisting of Qualifying Information, Eligibility Criteria, Specifications, Bill of Quantities, (B.O.Q), set of Terms & Conditions of RFIQ and other details can be seen / downloaded from the website:- <http://jktenders.gov.in> & on SMVDSB website www.maavaishnodevi.org as per following schedule:

Date of Publishing of RFIQ	01.10.2026 at 12:30 PM
Download Start Date	01.10.2026 at 12:30 PM onwards
Bid Submission Start Date	01.10.2026 at 12:30 PM onwards
Bid Submission End Date (Online)	12.10.2026 at 3:00 PM
Date of Opening of Technical Bid (Online)	13.10.2026 at 3:00 PM
Date of Opening of Financial Bid (Online)	Shall be intimated to the technically qualified bidders.

The Bids shall be deposited in Electronic Format on the e-tender portal i.e. www.jktenders.gov.in and should be submitted strictly in accordance with the provisions of the detailed RFIQ. **Complete bidding process will be done online on e-tender portal www.jktenders.gov.in only.**

However, the RFIQ document is also available on the official website of SMVDSB i.e. www.maavaishnodevi.org for reference purpose only.

Earnest Money Deposit (EMD):

- Earnest Money Deposit amounting to **₹ 8,000/- (Rupees Eight Thousand only)** shall be paid in the shape of **CDR /FDR** drawn from any Nationalized / Scheduled Bank duly pledged to the FA & CAO, SMVDSB.
- Alternatively, the bidders may also transfer the required amount on account of EMD in online mode (**IMPS / NEFT / RTGS**) in the following account of the Shrine Board:

Account No. : 0097010100000706
Type of Account : SB
Banker : Jammu and Kashmir Bank Ltd.
Branch : Main Branch Katra
IFSC Code : JAKA0KATTRA
Title of Account : Shri Mata Vaishno Devi Shrine Board

CDR/ FDR (in original) must be submitted in Purchase Section, Central Office, Katra on or before bid submission end date. **In case of online transfer**, the print-copy of screenshot of transaction must be uploaded on the tendering portal only. **In addition, the full details of the Bank Account from which the transaction has been made shall have to written on the body of the Transaction Screenshot.** The transaction to the account specified above shall only be accepted. **The transaction made to any other account of Shrine Board shall be treated as failure to deposit the prescribed EMD.**

No document shall be submitted to SMVDSB in physical form except the EMD.

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer

No: CO/Pur/Electronics/26/581-/3416
Dated: 01.10.2026

Instruction to bidders regarding e-tendering process:-

1. The interested bidder can download the RFIQ document from the website www.jktenders.gov.in and www.maavaishnodevi.org.
2. Before starting the bidding process, bidders are advised to carefully read the Instructions, Terms and Conditions mentioned in the Document online on e-tendering portal i.e. www.jktenders.gov.in.
3. The bidders, in their own interest, are requested not to wait till the last moment for submission of bid to avoid last minute rush and local problems related to internet connectivity, law and order, strike, closure of establishments etc. The SMVDSB shall not be responsible, if bids could not be uploaded due to such problems at the bidders' end.
4. The bidders must possess valid Digital Signature Certificate (DSC) issued from any agency authorized by Controller of Certifying Authority (CCA), Govt. of India and which can be traced up to the chain of trust to the Root Certificate of CCA. Bidders can get above mentioned digital certificate from any approved vendors.
5. The Bidders, who already possess valid (DSC) Digital Signature Certificates, need not to procure new Digital Signature Certificate.
6. The offer should be submitted (uploaded) strictly as per the terms and conditions and procedures laid down in the website failing which the offer is liable for rejection. Bidders should download the complete RFIQ including the Annexure and read carefully before filling the details and uploading the documents.
7. The offers with any deviations to the RFIQ's terms and conditions shall be liable for rejection.
8. The Technical Bids shall be opened online.
9. Only Financial Bids of technically qualified bidders shall be opened online.
10. The bidders have to submit their bids online in electronic format with Digital Signature. The bids cannot be uploaded without Digital Signature. No Proposal will be accepted in physical form.
11. Bids will be opened online as per time schedule mentioned in the RFIQ.
12. Before submission of online bids, bidders must ensure that scanned copies of all the necessary documents have been attached with bid.
13. SMVDSB will not be responsible for delay in online submission of bids whatsoever reasons may be.
14. All the required information for bid must be filled and submitted online.
15. The details of EMD specified in the RFIQ document should be the same, as submitted online (scanned copies) otherwise bid will not be accepted.
16. Bidders are advised to use "My Documents" area in their user on <http://jktenders.gov.in>, e-tendering portal to store important documents like Balance sheet, GST Registration Certificate, OEM or authorization certificate and other related documents etc., and attach these certificates as Non-Statutory documents while submitting their bids.
17. Bidders are advised not to make any change in BOQ (Bill of Quantities) contents or its name. In no case they should attempt to create similar BOQ manually. The BOQ downloaded should be used for filling the item rate as prescribed and it should be saved with the same as it contains.
18. Bidders are advised to scan their documents at 100 DPI (Dots per Inch) resolutions with Black and White, PDF \ Scan properly.
19. The guidelines for submission of bid online can be downloaded from the website <http://www.jktenders.gov.in> and www.maavaishnodevi.org.
20. SMVDSB shall not be held responsible for selection criteria/policy matter being adopted by the Directorate of Information regarding publishing the RFIQ, in any of the newspaper under circulation.
21. The tenderer should carefully study the document and prepare his tender with consideration of all provisions of the document. He should fully acquaint himself with site conditions and all other factors which may influence preparation of his tender.

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer



**Office of the Chief Executive Officer
Shri Mata Vaishno Devi Shrine Board, Katra**

No.CO/Pur/Electronics/26/581/2416

Dated: 01.10.2026

Request for Inviting Quotation (RFIQ)

For and on behalf of Shri Mata Vaishno Devi Shrine Board; through Chief Executive Officer (herein after referred as SMVDSB), offers are hereby invited under two (02) bids system from authorized distributors / dealers for supply of IT items as per the Specifications, Brands / Makes mentioned in **Annexure "A"** of RFIQ:

Schedule:

Date of Publishing of RFIQ	01.10.2026 at 12:30 PM
Download Start Date	01.10.2026 at 12:30 PM onwards
Bid Submission Start Date	01.10.2026 at 12:30 PM onwards
Bid Submission End Date (Online)	12.10.2026 at 3:00 PM
Date of Opening of Technical Bid (Online)	13.10.2026 at 3:00 PM
Date of Opening of Financial Bid (Online)	Shall be intimated to the technically qualified bidders.

1. Procedure for submission of Bid:

Bidders are required to submit their bids under 2 bid system with Cover-I (Technical Bid) and Cover-II (Price Bid).

A. Cover-I (Technical Bid) This cover shall contain: -

i) Earnest Money Deposit.

- a) EMD amounting to **₹ 8,000/- (Rupees Eight Thousand only)** shall be paid in the shape of **CDR /FDR** drawn from any Nationalized / Scheduled Bank duly pledged to the FA & CAO, SMVDSB.
- b) Alternatively, the bidders may also transfer the required amount on account of EMD in online mode (**IMPS / NEFT / RTGS**) in the following account of the Shrine Board:

Account No. : 0097010100000706
Type of Account : SB
Banker : Jammu and Kashmir Bank Ltd.
Branch : Main Branch Katra
IFSC Code : JAKA0KATTRA
Title of Account : Shri Mata Vaishno Devi Shrine Board

In case of online transfer, the print-copies of screenshots of transaction must be uploaded on the tendering portal only. **In addition, the full details of the Bank Account from which the transaction has been made shall have to written on the body of the Transaction Screenshot.** The transaction to the account specified above shall only be accepted. **The transaction made to any other account of Shrine Board shall be treated as failure to deposit the prescribed EMD.**

- c) Furnishing of EMD for an amount less than the stipulated amount mentioned in the RFIQ or quoting the exemption as Small Scale Industries or any other reason shall not be entertained and the bid / offer submitted by the firm shall be rejected outrightly. The bid will be considered of only those firms who had submitted requisite EMD.
- d) The EMDs of all un-successful bidders shall be returned after the issuance of

Purchase Order(s) in favour of successful bidder.

- e) The EMD of the successful bidders shall be released after complete supply of the items as per the purchase.
- ii) Copy of GST certificate
- iii) Certification w.r.t. manufacturer / authorized distributor / dealer shall be submitted whereas applicable along with the bid.
- iv) Catalogue of the product offered.
- v) RFIQ document **duly signed / stamped** on each leaf by the bidder.
- vi) Bidder's detail as per **Annexure "C"**

B. Un-Price Bid:

- a) The bidder shall have to quote rates as per BOQ & has to submit online in the form of BOQ only as per **Annexure-B**.
 - b) The rates quoted shall be complete in all respect and include all taxes, excise duty, levies, service tax, transit insurance, freight, entry tax at Lakhanpur etc, FOR, Engineering Store, Banganga. Nothing extra on any account shall be payable by the SMVD Shrine Board.
 - c) The price bid should be absolute and unconditional.
 - d) Conditional bids shall be rejected.
 - e) The price bids of only such bidders shall be opened, who qualify in the technical stage.
 - f) Price bids not conforming to above standards or suffering from any flaw shall be rejected.
2. *The participating bidder must ensure that only one bid is submitted against a single PAN, irrespective of the number of GST registrations held. Any bidder found submitting more than one bid against the same PAN shall be liable for rejection of bid and subsequently, debar from future dealings with SMVDSB for a period of three (03) years including forfeiture of EMD.*
3. **Conflict of Interest**
A bidder shall not have a Conflict of Interest with one or more bidders participating in this Request for Inviting Bid (RFIQ). A Conflict of Interest shall be deemed to exist if a bidder:
- a) Directly or indirectly controls, is controlled by, or is under common-control with another bidder; or
 - b) Has common proprietor(s), partner(s), director(s), legal representative(s), beneficial owner(s), or controlling interest with another bidder; or
 - c) Submits more than one bid under the same Permanent Account Number (PAN), irrespective of the number of Goods and Services Tax Identification Numbers (GSTINs), business verticals, or branches; or
 - d) Directly or indirectly submits, or causes to be submitted, more than one bid against this RFQ.

In the event of the existence of any of the above circumstances, all such bids shall be liable to rejection and the Earnest Money deposit (EMD) shall be liable to forfeiture. Further, SMVDSB reserves the right to debar the concerned bidder(s) from participating in any procurement of SMVDSB for a period of three (03) years.

- 4. **Validity:**
The validity of bid should be 90 days from the last date prescribed for submission.
- 5. Quantity mentioned in RFIQ is indicative and can be increased or decreased as per requirement.
- 6. **Selection Criteria:**
The rate of the successful firm(s) shall be considered on an L-1 basis separately for each item(s).
- 7. **Delivery:**
The material shall be delivered within 20 days from the date of issuance of Purchase Order. Before participating, the competing firm must ensure that it has the capacity to

meet the delivery period criteria. The Shrine Board may or may not extend the delivery period.

8. The material to be supplied strictly should be from the brands / makes / specifications mentioned in the RFIQ. No change in the Brand / Make shall be accepted. Any change in the Brand / Make shall outrightly be rejected.
9. The Board reserves the right to establish reasonability of rates, to negotiate with the L-1 bidder.

10. **INSPECTION / LIFTING BACK OF REJECTED SUPPLIES:**

- a. On receipt, the material shall be inspected / checked by our Inspection Committee and if found of inferior quality/defective, the same will be rejected and the Board shall be at liberty to have the same procured from open market at the risk & cost of the supplier whereby the original supplier shall be liable to pay the extra cost, if any, involved in the process. The Competent Authority, however, may accept the replaced material within the delivery period if it conforms to the approved specifications.
- b. The rejected material shall have to be lifted by the supplier at his own risk and cost within a week's time, failing which storage charges @ 2% per day shall be imposed against the supplier for a period of one week. The penalty amount shall get doubled for each subsequent week and the rejected material in the stores shall be at the risk of the firm. Beyond one month the material shall be auctioned and storage charges shall be recovered from the supplier @2% per day. The amount acquired on account of auctioning shall be deposited to SMVDSB Account.

11. **Penalty:** Following penalties (calculated on the value of unsupplied material) shall be imposed for delay beyond the prescribed period, unless exempted by the competent authority for valid reasons to be brought on record.

- a) upto 4 days @ 0.5%
- b) From 5th day to 6th day @ 1%
- c) From 7th day to 8th day @ 1.5%
- d) From 9th day to 10th day @ 2%
- e) After 10 days of delay, the Purchase Order shall be deemed to have been cancelled to the extent of unsupplied material and the material shall be procured from alternative sources at risk and cost of vendor.

Note: Despite cancellation of Purchase Order as stated above; for any valid reason to be brought on record, the Competent Authority may grant extension in the stipulated delivery period; with or without penalty. (Amount to be decided by the Competent Authority).

12. **Warranty:**

- i. The successful firm shall have to provide warranty **as per Annexure "A"**.
- ii. The warranty shall start from the date of receipt of item at Engineering Store, Banganga, Katra
- iii. The successful firm shall be responsible for providing Warranty to SMVDSB on the supplied item. Warranty / Guarantee Certificate shall be furnished at the time of supply of item. The supplier shall be fully responsible for any manufacturing defects and shall provide onsite warranty / guarantee service after sales.

13. **Payment:**

- a) No Advance payment shall be made
- b) The payment shall be made after receipt and inspection / acceptance of complete item against a Purchase Order, at the Engineering Store, Banganga within a period of 20 days from the date of issuance of GR.

14. **Force Majeure:**

Any failure or omission to carry out the provisions of the order shall not give rise to any claim by one party against the other, if such failure or omission arises from an "Act of God" which shall include all acts of Natural Calamities such as fire, flood, earthquakes, hurricanes, pandemics or any pestilences or from civil strikes, compliances with any

statute or regulations of the Government lock outs and strikes, riots, embargoes or from any other reasons beyond the control of the parties.

15. Debarring

If the successful bidder fails to comply with the terms and conditions of the RFIQ after successful culmination of the RFIQ and placing of Job order, the firm shall be debarred from further dealing with SMVDSB for a period of 03 years.

16. Rights reserved by SMVDSB:

The Competent authority of SMVDB reserves the right:

- i. To cancel/ terminate the RFIQ / Purchase Order during the period of its validity without assigning any reason thereof.
- ii. To forfeit the EMD of defaulter supplier.
- iii. Grant of extension with or without imposing penalty, as deemed fit.
- iv. To visit the premises of the bidder to verify the production capacity of the bidder / quality of products.

17. This is just a RFIQ and not an Order.

18. The broad terms and conditions have been included. However, other standard terms and conditions of supply may be incorporated in the Purchase Order to be issued in due course.

19. All disputes arising hereto are subject to jurisdiction of the Courts of Law at Katra / Reasi. The Arbitration proceedings shall be conducted as per "The Arbitration and Conciliation Act, 1996".

Sd/-

(Vipan Bhagat) JKAS

Asstt. Chief Executive Officer

Seal and Sign. of the firm

(Please read all the contents of the RFIQ before the submission of the bid)



**Office of the Chief Executive Officer
Shri Mata Vaishno Devi Shrine Board, Katra**

Annexure “A”

RFIQ No. CO/Pur/Electronics/26/581/2416

dated: 01.10.2026

S. No.	Description of items	Qty. (in nos.)	Specification / Brand
1.	Smart LED Display 50 inches	3	As per Annexure A (I)
2.	Smart LED Display 32 inches	1	As per Annexure A (II)
3.	Smart LED Display 15 inches	1	As per Annexure A (III)
4.	UHF Desktop Reader	2	As per Annexure A (IV)
5.	Eaton 1 KVA with 65 Ah with 3 Batteries	1	As per Annexure A (V)
6.	Ahuja UB-30 Mixer Amplifier	2	As per Annexure A (VI)
7.	Ahuja PS-400TM PA Speaker	2	As per Annexure A (VI)
8.	Ahuja AGN-500 Gooseneck Microphone	1	As per Annexure A (VI)
9.	UTP CAT -6 Cable	1 roll	Honeywell / D-Link / Molex
10.	RJ-45 LAN Connector	20 pc.	D-Link / Digisol
11.	Net gear PoE+ 8-Port: GS108LP	1	As per Annexure A (VII)

**Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer**

Annexure-‘A(I)’

Specifications – 50" Smart Commercial Display	
Parameter	Minimum / Recommended Specification
Display Size	50 inches
Display Type	Commercial-grade LED / Direct LED
Resolution	4K UHD, 3840 × 2160 pixels
Aspect Ratio	16:09
Brightness	Minimum 500 nits; higher brightness preferred for outdoor/public areas
Refresh Rate	60 Hz
Viewing Angle	≥178° Horizontal & Vertical
Smart Platform	Android / Google TV or equivalent
RAM / Storage	Minimum 2 GB RAM / 16 GB internal storage
Connectivity	Wi-Fi, RJ-45 LAN and Bluetooth
HDMI	Minimum 3 ports
USB	Minimum 2 ports
Audio	Built-in speakers, minimum 2 × 8W or better
USB Auto Play	Supported
Continuous Loop Playback	Supported
Commercial/Public Display Mode	Supported
Auto Power Recovery	Display should automatically resume operation after power restoration
Scheduling	ON/OFF scheduling facility
Enclosure	Robust outdoor/weather-resistant protective enclosure
Ingress Protection	IP66 minimum
Impact Protection	IK10 minimum
Enclosure Material	Heavy-duty powder-coated steel / aluminium or equivalent corrosion-resistant material
Front Protection	Toughened/laminated protective glass, suitable for public/outdoor installation
Cooling	Suitable thermal management/cooling arrangement to maintain display operating temperature
Cable Management	Sealed cable entry/glands with appropriate IP protection
Locking Arrangement	Secure lockable enclosure to prevent unauthorized access
Mounting	Heavy-duty wall/pole mounting arrangement as required
VESA Compatibility	Compatible with display mounting arrangement
Power Supply	230V AC, 50 Hz
Surge Protection	Suitable electrical/surge protection provision recommended
Operating Environment	Suitable for outdoor/public installation under varying weather conditions
Warranty	Minimum 2 year comprehensive warranty
Installation	Supply, installation, configuration, testing and commissioning at site
Accessories	Complete enclosure, mounting hardware, protective glass, cable glands and all necessary accessories

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer

Specifications – 32" Smart Commercial Display	
Parameter	Minimum / Recommended Specification
Display Size	32 inches
Display Type	LED / Direct LED, commercial-grade
Resolution	Full HD (1920 × 1080 pixels) preferred
Aspect Ratio	16:09
Brightness	Minimum 250–300 nits
Contrast Ratio	Minimum 3000:1 or as per manufacturer
Viewing Angle	≥178° (Horizontal & Vertical)
Refresh Rate	60 Hz
Smart Platform	Android / Google TV or equivalent Smart TV platform
Processor	Quad-Core or better
RAM	Minimum 1.5 GB
Internal Storage	Minimum 8 GB
LAN	RJ-45 Ethernet port
Bluetooth	Bluetooth 5.0 or better
HDMI	Minimum 2 × HDMI ports
USB	Minimum 2 × USB ports
Audio Output	Minimum 2 × 5W or equivalent built-in speakers
Video/Audio Playback	Support for commonly used video, image and audio formats
Screen Mirroring	Supported
Digital Signage/USB Playback	Supported, preferably with auto-play/loop facility
Operating System	Android TV / Google TV / equivalent
Remote Control	IR/Bluetooth remote with batteries
Wall Mount	Compatible VESA wall-mount bracket to be provided
VESA Mount	Typically 100 × 100 mm or manufacturer standard
Power Supply	230V AC, 50 Hz
Power Saving	Energy-saving / sleep mode
Operating Temperature	Suitable for indoor commercial environment
Warranty	Minimum 1 year comprehensive warranty
Installation	Installation, configuration and testing at site to be included
Accessories	Power cable, remote, wall mount/bracket and all necessary accessories

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer

Specifications – 15" Single-Touch Panel PC with Enclosure	
Parameter	Minimum / Recommended Specification
Display Size	15 inches
Display Type	Industrial / Commercial-grade LED/LCD
Touch Screen	Single-touch capacitive or resistive touch
Resolution	Minimum 1024 × 768 pixels
Brightness	Minimum 250 nits
Viewing Angle	≥150° Horizontal & Vertical
Processor	Intel Celeron / Intel N-Series / equivalent or better
RAM	Minimum 4 GB
Storage	Minimum 120 GB SSD
Operating System	Windows 11 pro
LAN	Minimum 2 × Gigabit Ethernet
USB Ports	Minimum 4 × USB
Audio	Built-in speaker / audio output
Enclosure Type	Heavy-duty, weather-resistant protective enclosure
Enclosure Material	Powder-coated MS / Aluminium / equivalent corrosion-resistant material
Ingress Protection	IP66
Impact Protection	IK10
Front Protection	Toughened/laminated transparent protective glass/acrylic
Cooling	Suitable ventilation/thermal management with dust protection
Cable Entry	Sealed cable glands suitable for the specified IP rating
Locking	Lockable enclosure to prevent unauthorized access
Mounting	Wall/pole/panel mounting arrangement, as required
Power Supply	230V AC, 50 Hz through suitable SMPS/adaptor
Operation	Suitable for continuous/extended operation
Warranty	2 Years
Installation	Supply, installation, configuration, testing and commissioning
Accessories	Complete enclosure, mounting hardware, power supply, cables, glands and all required accessories

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer

Reader Specifications	
Parameter	Specification
Make / Model	Identium IDTS-107 UDR
Frequency Range	Standard ISM 865–868 MHz ; 902–928 MHz or customized frequency
RF Protocol	ISO 18000-6B, EPC Class 1 Gen2 / ISO 18000-6C
RF Modulation / Mode	FHSS
RF Output Power	0–30 dBm , adjustable
Antenna	Built-in circularly polarized antenna
Reading Distance	0–300 mm , tag dependent
Air Interface	EPC Global UHF ISO 18000-6C (EPC Gen2), ISO 18000-6B
Reading Rate	Software programmable
Communication Interfaces	RS-232, RJ45 and WiFi
Software	Demonstration software and SDK provided
Operating Mode	Answer, Active, Trigger
Tag Operation	Read / Write

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer

Annexure-‘A (V)’

UPS with Battery	
Parameter	Specification
UPS Make	Eaton
Model	9E-IN 1K XL
Capacity	1 kVA / 0.8 kW
Input Voltage	220/230/240 V AC
Output Voltage	220/230/240 V AC
Battery Make	Exide
Battery Model	Model EP 65-12
Battery Series	Power Safe Battery Rating 65 AH
Battery Type	SMF Sealed Maintenance Free
Nominal Voltage	12 Volt
Telecom Dimensions	(L*W*H) in mm 350*166*174 in mm
Weight in Kgs	(approx.) 20.30 Kgs
Battery Quantity	3 Nos. Each UPS
Battery Warranty	24 Months

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer

1. Ahuja UB-30 Mixer Amplifier	
Parameter	Specification
Make / Model	Ahuja UB-30
Type	Low-power PA Mixer Amplifier
Rated Output	30 W RMS Maximum; 25 W RMS @ 10% THD
Inputs	2 × Microphone, 1 × Auxiliary
Speaker Outputs	4 Ω, 8 Ω, 16 Ω and 100 V Line
Frequency Response	150 Hz – 10 kHz ±3 dB
Signal-to-Noise Ratio	60 dB
Tone Control	–10 dB at 10 kHz
Power Supply	220–240 V AC, 50/60 Hz
Battery Operation	12 V DC battery operation
Battery Changeover	Automatic AC-to-battery changeover
Protection	Reverse battery polarity protection
Accessories	Power cable and required connectors
Warranty	Minimum 1 year or as per manufacturer

2. Ahuja PS-400TM PA Speaker	
Parameter	Specification
Make / Model	Ahuja PS-400TM
Type	2-Way Compact PA Wall Speaker
Rated Power	16 W RMS
Maximum Power	24 W
Speaker Configuration	2-Way
Woofers	93 mm
Tweeter	47 mm
Frequency Response	85 Hz – 20 kHz
Sensitivity	86 dB (1 W/1 m)
Input / Line	100 V Line / 8 Ω
100 V Power Taps	16 W / 8 W / 4 W selectable
Mounting	Wall mounting
Mounting Bracket	Movable mounting bracket
Accessories	Mounting bracket and required connectors
Warranty	Minimum 1 year or as per manufacturer

3. Ahuja AGN-500 Gooseneck Microphone	
Parameter	Specification
Make / Model	Ahuja AGN-500
Type	Gooseneck Desktop Microphone
Microphone Type	Dynamic / suitable PA microphone
Pickup Pattern	Cardioid / directional
Frequency Response	50-15,000Hz
Impedance	500 Ω
Sensitivity	2.2mV/Pa
Overall Length	395mm
Connector	Standard microphone connector
Accessories	Connecting cable, connector and required accessories
Warranty	Minimum 1 year or as per manufacturer

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer

Specifications for Network Switch	
Parameter	Specification
Model	Net gear PoE+ 8-Port: GS108LP
Type	8-Port Gigabit Unmanaged PoE+ Switch
Ethernet Ports	8 × 10/100/1000 Mbps RJ-45 Gigabit Ethernet
PoE Ports	8 × PoE+
PoE Standard	IEEE 802.3af / 802.3at
Maximum PoE Output	Up to 30 W per port
Switching Capacity	16 Gbps
Auto-Negotiation	Supported
Auto MDI/MDIX	Supported
Flow Control	IEEE 802.3x
Energy Efficiency	IEEE 802.3az Energy Efficient Ethernet
QoS	IEEE 802.1p / DSCP
PoE Auto-Balance	Supported
Management	Unmanaged / Plug-and-Play
Enclosure	Metal
Mounting	Desktop, wall and rack mounting
Power Supply	External AC power adapter
Warranty	Limited Lifetime Hardware Warranty as per OEM

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer

UN-PRICE BID**(on the Letter Head of the Firm)**

To,

**The Asstt. Chief Executive Officer (VB),
Shrine Mata Vaishno Devi Shrine Board,
Katra.**

Subject: **Bid for supply of IT item.**Ref. **CO/Pur/Electronics/26/581/2416**dated: **01.10.2026**

I, _____ representative / proprietor of
M/s _____ hereby submit my following rates as
per specification / UOM / requirement of Shrine Board. The offered rates are NET
inclusive of GST / other taxes and F.O.R at Engg. Store Banganga are as under:

S. no.	Description of Item	Req. Qty	Warranty Offered	Brand / Make Offered	NET Rate (Inclusive of GST and other taxes as applicable) F.O.R. Engineering Store, Banganga, Katra.
1.	Smart LED Display 50 inches	3			
2.	Smart LED Display 32 inches	1			
3.	Smart LED Display 15 inches	1			
4.	UHF Desktop Reader	2			
5.	Eaton 1 KVA with 65 Ah with 3 Batteries	1			
6.	Ahuja UB-30 Mixer Amplifier	2			
7.	Ahuja PS-400TM PA Speaker	2			
8.	Ahuja AGN-500 Gooseneck Microphone	1			
9.	UTP CAT -6 Cable	1 roll			
10.	RJ-45 LAN Connector	20 pc.			
11.	Net gear PoE+ 8-Port: GS108LP	1			

Notwithstanding anything mentioned in our price bid, we hereby accept all the terms & conditions mentioned in the RFIQ which are being signed in token of my acceptance. We hereby undertake and confirm that I / we have understood the specifications properly and shall supply the material as per the required / higher specifications to SMVDSB.

I further affirm that in case, I fail to abide-by the conditions or upto the entire satisfaction of the Shrine Board; I shall be liable to the penalties under rules. I further hereby declare that my firm is not blacklisted.

Seal & Signature _____

M/s _____

Contact Person: _____

Contact Number: _____

E-mail ID: _____

(ON THE LETTER HEAD OF THE FIRM)**BIDDER'S DETAIL**

Name of the Supplier / Party / Firm	
Name of the Authorized Representative	
Mailing Address:	
Phone/Landline No	
Mobile No.	
Fax No.	
E-mail Address	
Website Address (if any)	
Bank details for payment through NEFT / RTGS	Name of the Bank:
	Branch
	Account No
	IFSC Code
	MICR No

Note: Also upload a cancelled cheque for verification of above bank details.

Seal and Signature of the bidder

Place:

Date: